



Safety Data Sheet

Issue date 17-Jun-2015

Revision date 20-May-2015

Version 1

1. Identification

Product Identifier

Product name QSil 555 A

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Industrial silicone elastomer.
Application FOR INDUSTRIAL USE ONLY

Details of the Supplier of the Safety Data Sheet

Supplier	Manufacturer Address
Quantum Silicones 7820 Whitepine Rd Richmond, VA 23237	Quantum Silicones 8021 Reycan Rd Richmond, VA 23237

Emergency Telephone Number

Company Phone Number 800-852-3147 (8AM - 5PM EST)
Emergency telephone Chemtrec 1-800-424-9300

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

EMERGENCY OVERVIEW

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Viscous liquid **Physical State** Liquid **Odor** Negligible

Hazards Not Otherwise Classified (HNOC)

Not Applicable

OTHER INFORMATION

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on Ingredients

Substance

Not Applicable

Mixture

Chemical name	CAS No	weight-%	Trade secret
Silica, quartz	14808-60-7	10 - 30	*
Zinc Oxide	1314-13-2	7 - 13	*
Talc	14807-96-6	7 - 13	*

4. First aid measuresDescription of first aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash skin with soap and water.
INHALATION	Remove to fresh air.
INGESTION	Clean mouth with water and drink afterwards plenty of water.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically.

5. Fire-fighting measuresSuitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measuresPersonal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information. Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for Safe Handling

Advice on safe handling Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials Incompatible with strong acids and bases. Interaction with strong bases can cause liberation of hydrogen.

8. Exposure Controls/Personal Protection

Control Parameters

Ingredients with workplace exposure parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica, quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	(vacated) TWA: 0.1 mg/m ³ respirable dust : (30)/(%SiO ₂ + 2) mg/m ³ TWA total dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Zinc Oxide 1314-13-2	STEL: 10 mg/m ³ respirable fraction TWA: 2 mg/m ³ respirable fraction	TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ fume (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) STEL: 10 mg/m ³ fume	IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume
Talc 14807-96-6	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	(vacated) TWA: 2 mg/m ³ respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust

NIOSH IDLH *Immediately Dangerous to Life or Health*

OTHER INFORMATION Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate Engineering Controls

Engineering controls Showers
Eyewash stations

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions.

General hygiene considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Negligible
Appearance	Viscous liquid	Odor threshold	No information available
Color	White		
Property	VALUES	Remarks • Method	
pH	No information available		
Melting point / Freezing point	No information available		
Boiling point / Boiling range	No information available		
Flash point	> 140 °C / > 284 °F	CC (closed cup)	
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability limit in air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Relative density	No information available		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	80,000 cps		
Explosive properties	Not an explosive		
Oxidizing properties	This product is not an oxidizing agent		

OTHER INFORMATION

Softening point	No information available
Molecular weight	No information available
VOC content (%)	No information available
Density	1.48
Bulk density	No information available

10. Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

hazardous polymerization No information available.

Conditions to avoid

No information available.

Incompatible materials

Incompatible with strong acids and bases. Interaction with strong bases can cause liberation of hydrogen.

Hazardous decomposition products

None known based on information supplied.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information No data available.
INHALATION No data available.
Eye Contact No data available.
Skin Contact No data available.
INGESTION No data available.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Silica, quartz 14808-60-7	= 500 mg/kg (Rat)	-	-
Zinc Oxide 1314-13-2	> 5000 mg/kg (Rat)	-	-

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization No information available.
Germ Cell Mutagenicity No information available.
carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Chemical name	ACGIH	IARC	NTP	OSHA
Silica, quartz 14808-60-7	A2	Group 1	Known	-
Talc 14807-96-6	-	Group 3	-	-

*ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Not classifiable as a human carcinogen
NTP (National Toxicology Program)
Known - Known Carcinogen*

Reproductive Toxicity No information available.
STOT - Single Exposure No information available.
STOT - Repeated Exposure No information available.
Target organ effects EYES, Lungs, Respiratory System, Central Vascular System (CVS).
Aspiration Hazard No information available.

Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) 16,039.00 mg/kg
ATEmix (dermal) 29,068.36 mg/kg

12. Ecological Information

Ecotoxicity

Toxic to aquatic life with long lasting effects

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available

13. Disposal Considerations

Waste Treatment Methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport Information

<u>DOT</u>	NOT REGULATED
<u>IATA</u>	NOT REGULATED
<u>IMDG</u>	NOT REGULATED
<u>TDG</u>	NOT REGULATED
<u>MEX</u>	NOT REGULATED
<u>ICAO (air)</u>	NOT REGULATED
<u>RID</u>	NOT REGULATED
<u>ADR</u>	NOT REGULATED
<u>ADN</u>	NOT REGULATED

15. Regulatory Information

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Zinc Oxide - 1314-13-2	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	NO
Chronic health hazard	NO
Fire Hazard	NO
Sudden Release of Pressure Hazard	NO
Reactive Hazard	NO

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Polydimethylsiloxane, vinyl dimethylsiloxyl terminated 68083-19-2	X	X	X
Silica, quartz 14808-60-7	X	X	X
Zinc Oxide 1314-13-2	X	X	X
Talc 14807-96-6	X	X	X
Silicic acid Sodium salt, reaction products with Chlorotrimethyl silane and Methylvinyl dimethoxy silane 502164-41-2	X	X	X

U.S. EPA Label information

EPA Pesticide registration number Not Applicable

16. Other information, including date of preparation of the last revision

NFPA	Health Hazards 0	Flammability 1	Instability 0	-
HMIS	Health Hazards 0	Flammability 1	Physical Hazards 0	-

Issue date 17-Jun-2015
Revision date 20-May-2015

Revision note
 No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet