

# Chemical Concepts Our customers stick with us. chemical-concepts.com 800.220.1966

# Safety Data Sheet acc. to OSHA HCS

Revision Number 1 Revision Date 11/18/2016

# 1 Identification

· Product identifier

Printing Date 11/18/2016

- · Trade name: Quick Tac 3
- · Relevant identified uses of the substance or mixture.

Adhesive Activator

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Adhesive Systems, Inc.

A Division of Royal Adhesives & Sealants, LLC

9411 Corsair Road Frankfort, Illinois 60423 Phone Number: 800-552-0299

- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 2)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

(Contd. of page 1)

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

*Use only non-sparking tools.* 

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

lazardous components:			
67-63-0 propan-2-ol (Isopropyl alcohol)			

99-97-8 N,N-dimethyl-p-toluidine

50-100% ≤1.0%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse mouth with water.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

*Use fire fighting measures that suit the environment.* 

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· Protective equipment: Protective clothing and respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep container closed when not in use.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.

(Contd. on page 4)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

(Contd. of page 3)

· Information about storage in one common storage facility:

Store away from oxidizing agents.

Store as flammable liquid.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Store under inert gas.

This product is hygroscopic.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values tha	t require monitoring at th	e workplace:
------------------------------------	----------------------------	--------------

#### 67-63-0 propan-2-ol (Isopropyl alcohol)

PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm
	Long-term value: 980 mg/m³, 400 ppm
TLV	Long-term value: 980 mg/m³, 400 ppm Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm
	Long-term value: 492 mg/m³, 200 ppm
	BEI

### 99-97-8 N,N-dimethyl-p-toluidine

WEEL Long-term value: 0.5 ppm

#### · Ingredients with biological limit values:

#### 67-63-0 propan-2-ol (Isopropyl alcohol)

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

(Contd. of page 4)

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

Face shield over protective glasses or goggles.

· Body protection: Protective work clothing

$\alpha$ $\mathbf{D}$	• 7	7		•	7		
UPbi	101001	and	$\alpha$	10WICO	II mr	movie	00
	mucuu	шши	$\omega_I$	remica	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1114	

· Vapor pressure at 20 °C (68 °F):

· Specific gravity at 20 °C (68 °F):

· Relative density

· Vapor density · Evaporation rate

· Information on	basic physical	and ch	iemical	properties
------------------	----------------	--------	---------	------------

· General Information

· Appearance:

Liquid Form: Color: Colorless · Odor: Characteristic · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point: Undetermined. **Boiling point:** 82 °C (180 °F) 12 °C (54 °F) · Flash point: · Flammability (solid, gaseous): Not applicable. 425 °C (797 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: 425C (797F) Product is not explosive. However, formation of explosive air/vapor · Danger of explosion: mixtures are possible. · Flammable limits: Lower: 2.0 Vol % 12.0 Vol % Upper:

43 hPa (32 mm Hg)

Not determined.

Not determined.

3

0.785 g/cm³ (6.551 lbs/gal)

(Contd. on page 6)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

		(Contd. of page 5
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octano	I/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	Not available	
Solids content:	Not available	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Forms explosive gas mixture with air.
- · Conditions to avoid

Heat, flames, sparks.

Exposure to high temperatures.

Direct sunlight

· Incompatible materials:

Reacts with oxidizing agents.

Reacts with Aluminum

Reacts with acids.

Halogens

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
67-63-0 pr	opan-2-ol	(Isopropyl alcohol)
Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

(Contd. on page 7)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol (Isopropyl alcohol)

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · **DOT**, **IMDG**, **IATA** UN1219
- · UN proper shipping name
- $\cdot$  **DOT** Isopropanol
- · IMDG, IATA ISOPROPANOL (ISOPROPYL ALCOHOL)
- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

(Contd. on page 8)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

(Contd. of page 7) 3 · Label · IMDG, IATA 3 Flammable liquids · Class · Label · Packing group · DOT, IMDG, IATA II· Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): · EMS Number: F-E,S-D· Stowage Category В · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN 1219 ISOPROPANOL, 3, II

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol (Isopropyl alcohol)

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

- · Proposition 65
- · Chemicals known to cause cancer:

99-97-8 N,N-dimethyl-p-toluidine

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· New Jersey Right-to-Know List:

67-63-0 propan-2-ol (Isopropyl alcohol)

(Contd. on page 9)

Printing Date 11/18/2016 Revision Number 1 Revision Date 11/18/2016

Trade name: Quick Tac 3

	(Contd. of page
New Jersey Special Hazardous Substance List:	
67-63-0 propan-2-ol (Isopropyl alcohol)	F3
Pennsylvania Right-to-Know List:	•
67-63-0 propan-2-ol (Isopropyl alcohol)	
Pennsylvania Special Hazardous Substance List:	
67-63-0 propan-2-ol (Isopropyl alcohol)	1
Cancerogenity categories	·
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
67-63-0 propan-2-ol (Isopropyl alcohol)	A
MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 11/18/2016
- · Date of preparation / last revision 11/18/2016 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

 $ACGIH: American \ Conference \ of \ Governmental \ Industrial \ Hygienists$ 

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

 $Flam.\ Liq.\ 2: Flammable\ liquids-Category\ 2$ 

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

. . . .