

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**1 Identification**

- **Product identifier**
- **Trade name:** *Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive*
- **Relevant identified uses of the substance or mixture.** *Adhesive*
- **Application of the substance / the mixture** *Adhesives*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Adhesive Systems, Inc.  
A Division of Royal Adhesives & Sealants, LLC  
9411 Corsair Road  
Frankfort, Illinois 60423  
Phone Number: 800-552-0299*
- **Information department:** *Environment protection department.*
- **Emergency telephone number:**  
*ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



- Skin Irrit. 2 H315 Causes skin irritation.*
- Eye Irrit. 2A H319 Causes serious eye irritation.*
- Skin Sens. 1 H317 May cause an allergic skin reaction.*
- STOT SE 3 H335 May cause respiratory irritation.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



- **Signal word** *Warning*
- **Hazard statements**  
*Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
May cause respiratory irritation.*
- **Precautionary statements**  
*Avoid breathing dust/fume/gas/mist/vapors/spray  
Wear protective gloves.  
Wear eye protection / face protection.  
Wash thoroughly after handling.*

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 1)

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**




Health = 2

Fire = 1

Reactivity = 1

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 1

Physical Hazard = 1

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description: Mixture**

· **Hazardous components:**

80-15-9	$\alpha,\alpha$ -dimethylbenzyl hydroperoxide	$\leq 2.5\%$
---------	---	--------------

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; immediately call for medical help.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**  
Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
- **Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal state and local regulations.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Open and handle receptacle with care.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Keep container closed when not in use.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect product from freezing.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

USA

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive

(Contd. of page 3)

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

80-15-9  $\alpha, \alpha$ -dimethylbenzyl hydroperoxide

WEEL	Long-term value: 6 mg/m <sup>3</sup> , 1 ppm
	Skin

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment (see listings below)**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses with side shields.



Tightly sealed goggles

Face shield over protective glasses or goggles.

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 4)

<b>Color:</b>	Red
<b>· Odor:</b>	Mild
<b>· Odor threshold:</b>	Not determined.
<b>· pH-value:</b>	Not determined.
<b>· Change in condition</b>	
<b>Melting point:</b>	Undetermined.
<b>Boiling point:</b>	>149 °C (>300 °F)
<b>· Flash point:</b>	>93 °C (>199 °F)
<b>· Flammability (solid, gaseous):</b>	Not applicable.
<b>· Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
<b>· Auto igniting:</b>	Product is not selfigniting.
<b>· Danger of explosion:</b>	Product does not present an explosion hazard.
<b>· Flammable limits:</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>· Vapor pressure:</b>	<5 mmHg 27C (80F)
<b>· Specific gravity at 20 °C (68 °F):</b>	1.1 g/cm <sup>3</sup> (9.18 lbs/gal)
<b>· Relative density</b>	Not determined.
<b>· Vapor density</b>	Not determined.
<b>· Evaporation rate</b>	Not determined
<b>· Solubility in / Miscibility with</b>	
<b>Water:</b>	Not miscible or difficult to mix.
<b>· Partition coefficient (n-octanol/water):</b>	Not determined.
<b>· Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	Not available
<b>· Other information</b>	VOC 146.0 grams/liter

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Heat, flames, sparks.  
Avoid temperatures above 100F (38C).  
Direct sunlight
- **Incompatible materials:**  
Reacts with acids.

(Contd. on page 6)

-USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 5)

Reacts with oxidizing agents.

Reacts with alkalis (bases)

Reacts with reactive metals.

Reacts with amines.

· **Hazardous decomposition products:**

Carbon monoxide

Carbon dioxide

Hydrocarbons

### 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)

· **Primary irritant effect:**

· **on the skin:** Skin irritant.

· **on the eye:**

Vapors may be irritating to the eyes.

Irritating effect.

· **Sensitization:** Skin Contact - Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

81-07-2	1,2-benzisothiazol-3(2H)-one 1,1-dioxide	3
---------	--	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Must be specially treated adhering to official regulations.  
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number**
- **DOT, ADN, IMDG, IATA** not regulated
- **UN proper shipping name**
- **DOT, ADN, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **DOT, ADN, IMDG, IATA**
- **Class** not regulated
- **Packing group**
- **DOT, IMDG, IATA** not regulated
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:** Limited Quantities are allowed. Refer to 49 CFR for conditions that apply.
- **UN "Model Regulation":** not regulated

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

(Contd. on page 8)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 7)

· **TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **(DSL) Canada Domestic Substance List**

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· **New Jersey Right-to-Know List:**

81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

· **New Jersey Special Hazardous Substance List:**

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

F2, R4

· **Pennsylvania Right-to-Know List:**

81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

· **Pennsylvania Special Hazardous Substance List:**

81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

ES

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

E

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations:**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### \* 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from

(Contd. on page 9)



# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 11/25/2016

Revision Number 1

Revision Date 11/25/2016

**Trade name: Torque 62TL, Torque 71TL, Torque 72TL, Torque 77TL Adhesive**

(Contd. of page 8)

*the use or reliance on the information set forth in the SDS.*

· **Department issuing SDS:** Environment protection department.

· **Creation Date:** 11/25/2016

· **Date of preparation / last revision** 11/25/2016 / -

· **Abbreviations and acronyms:**

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*

*Skin Sens. 1: Skin sensitisation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

USA