

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

**SECTION 1. IDENTIFICATION**

Product name : ARALDITE® 2080-15 A

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : Non-Emergency: (800) 257-5547

E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Resin

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids : Category 4  
Skin irritation : Category 2  
Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)  
Short-term (acute) aquatic hazard : Category 2  
Chronic aquatic toxicity : Category 3

**GHS label elements**

Hazard pictograms :

Signal word : Danger

Hazard statements : H227 Combustible liquid.

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
 Date of first issue: 01/11/2022

Print Date 01/11/2022

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.  
 H401 Toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.

## Precautionary statements

: **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
 No smoking.  
 P261 Avoid breathing mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	7534-94-3	20 - 30
2-hydroxyethyl methacrylate	868-77-9	10 - 20

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

methacrylic acid, monoester with propane-1,2-diol	27813-02-1	10 - 20
2-Propenoic acid, 2-hydroxyethyl ester, polymer with 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2-oxepanone and 2,2'-oxybis[ethanol]	72162-39-1	5 - 10
methacrylic acid	79-41-4	3 - 5
titanium dioxide	13463-67-7	1 - 5
2,2'-[(4-methylphenyl)imino]bisethanol	3077-12-1	0.1 - 1
2,6-di-tert-butyl-p-cresol	128-37-0	0.1 - 1
3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane	26741-53-7	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing. If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Metal oxides
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

**ARALDITE® 2080-15 A**

Version            Revision Date:            SDS Number:            Date of last issue: -  
0.0                    01/11/2022                400000010906            Date of first issue: 01/11/2022

Print Date 01/11/2022

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Use only with adequate ventilation/personal protection. Provide sufficient air exchange and/or exhaust in work rooms. For personal protection see section 8. Keep container closed when not in use. Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Recommended storage temperature : 36 - 46 °F / 2 - 8 °C
- Further information on storage stability : Stable under normal conditions.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
methacrylic acid	79-41-4	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m <sup>3</sup>	NIOSH REL
		TWA	20 ppm 70 mg/m <sup>3</sup>	OSHA P0
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
 Date of first issue: 01/11/2022

Print Date 01/11/2022

		TWA (Total dust)	10 mg/m3	OSHA P0
2,6-di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH
		TWA	10 mg/m3	NIOSH REL
		TWA	10 mg/m3	OSHA P0

**Personal protective equipment**

- Respiratory protection : Ensure adequate ventilation.  
 Suitable respiratory equipment:  
 Respirator with a half face mask  
 Recommended Filter type:  
 Combined particulates and organic vapour type  
 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Filter type : Filter type A-P2 (organic vapours, particles)
- Hand protection
- Material : butyl-rubber
- Material : Ethyl Vinyl Alcohol Laminate (EVAL)
- Break through time : > 8 h
- Material : Nitrile rubber
- Break through time : 10 - 480 min
- Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
 The suitability for a specific workplace should be discussed with the producers of the protective gloves.  
 Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Eye protection : Eye wash bottle with pure water  
 Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : paste
- Colour : white
- Odour : slight
- Odour Threshold : No data is available on the product itself.
- pH : No data is available on the product itself.

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Melting point/freezing point	:	No data is available on the product itself.
Boiling point	:	No data is available on the product itself.
Flash point	:	205.7 °F / 96.5 °C (1,013 hPa) Method: ISO 2719, closed cup
Evaporation rate	:	No data is available on the product itself.
Flammability (solid, gas)	:	No data is available on the product itself.
Flammability (liquids)	:	No data is available on the product itself.
Upper explosion limit / Upper flammability limit	:	No data is available on the product itself.
Lower explosion limit / Lower flammability limit	:	No data is available on the product itself.
Vapour pressure	:	No data is available on the product itself.
Relative vapour density	:	No data is available on the product itself.
Relative density	:	No data is available on the product itself.
Density	:	1.03 g/cm <sup>3</sup> (77 °F / 25 °C) Method: estimated
Solubility(ies)		
Water solubility	:	insoluble, immiscible
Solubility in other solvents	:	No data is available on the product itself.
Partition coefficient: n-octanol/water	:	No data is available on the product itself.
Auto-ignition temperature	:	No data is available on the product itself.
Decomposition temperature	:	No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	:	No data is available on the product itself.
Viscosity		
Viscosity, dynamic	:	20,000 - 45,000 mPa.s (77 °F / 25 °C)
Explosive properties	:	No data is available on the product itself.
Oxidizing properties	:	No data is available on the product itself.
Particle size	:	No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No dangerous reaction known under conditions of normal use.
------------	---	---

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	None known.
Hazardous decomposition products	:	carbon dioxide carbon monoxide



chemical-concepts.com

**800.220.1966**

410 Pike Road • Huntingdon Valley, PA 19006

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

**Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Acute oral toxicity	:	LD50 (Rat, male and female): 3,160 mg/kg Method: No information available. GLP: no Assessment: The component/mixture is low toxic after single ingestion.
---------------------	---	--

**2-hydroxyethyl methacrylate:**

Acute oral toxicity	:	LD50 (Rat): 5,564 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

**methacrylic acid, monoester with propane-1,2-diol:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rabbit, male): > 5,000 mg/kg

**methacrylic acid:**

Acute oral toxicity	:	LD50 (Rat, male): 1,320 mg/kg Method: OECD Test Guideline 401 GLP: no Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	---	--



**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

Acute inhalation toxicity : LC50 (Rat, male and female): 7.1 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): 500 - 1,000 mg/kg  
GLP: no  
Assessment: The component/mixture is toxic after single contact with skin.

**titanium dioxide:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): 3.43 - 5.09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Acute oral toxicity : LD50 (Rat, male and female): 959 mg/kg  
Method: OECD Test Guideline 401  
GLP: no  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat, male and female): > 6,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 2 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation  
GLP : yes

**2-hydroxyethyl methacrylate:**

Species : Rabbit  
Result : Skin irritation

**methacrylic acid, monoester with propane-1,2-diol:**

Species : Rabbit  
Assessment : No skin irritation

2-Propenoic acid, 2-hydroxyethyl ester, polymer with 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2-oxepanone and 2,2'-oxybis[ethanol]:

Result : Skin irritation

**methacrylic acid:**

Species : Rabbit  
Assessment : Causes severe burns.  
Method : OECD Test Guideline 404  
Result : Extremely corrosive and destructive to tissue.  
GLP : yes

**titanium dioxide:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : Normally reversible injuries

**2,2'-[(4-methylphenyl)imino]bisethanol:**

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	Other guidelines
Result	:	No skin irritation
GLP	:	no

**2,6-di-tert-butyl-p-cresol:**

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Serious eye damage/eye irritation****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

**2-hydroxyethyl methacrylate:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

**methacrylic acid, monoester with propane-1,2-diol:**

Species	:	Rabbit
Result	:	Eye irritation

2-Propenoic acid, 2-hydroxyethyl ester, polymer with 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2-oxepanone and 2,2'-oxybis[ethanol]:

Result	:	Eye irritation
--------	---	----------------

**methacrylic acid:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Assessment	:	Risk of serious damage to eyes.
Method	:	Draize Test
GLP	:	no

**titanium dioxide:**

Species	:	Rabbit
Result	:	Normally reversible injuries
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
GLP : no

**2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

Assessment : Mild skin irritation

**2-hydroxyethyl methacrylate:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

Species : Humans  
Result : Probability or evidence of skin sensitisation in humans

**methacrylic acid, monoester with propane-1,2-diol:**

Exposure routes : Skin  
Species : Humans  
Result : May cause sensitisation by skin contact.

**methacrylic acid:**

Test Type : Buehler Test  
Exposure routes : Skin  
Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
 Date of first issue: 01/11/2022

Print Date 01/11/2022

Result : Did not cause sensitisation on laboratory animals.

**titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
 Exposure routes : Skin  
 Species : Mouse  
 Assessment : Does not cause skin sensitisation.  
 Method : OECD Test Guideline 429  
 Result : Does not cause skin sensitisation.

Exposure routes : Skin  
 Species : Guinea pig  
 Assessment : Does not cause skin sensitisation.  
 Method : OECD Test Guideline 406  
 Result : Does not cause skin sensitisation.

Assessment : No skin irritation, No eye irritation  
 Does not cause skin sensitisation., Does not cause respiratory sensitisation.

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Test Type : Local lymph node assay (LLNA)  
 Species : Mouse  
 Assessment : May cause sensitisation by skin contact.  
 Method : OECD Test Guideline 429  
 Result : May cause sensitisation by skin contact.  
 GLP : yes  
 Remarks : Information given is based on data obtained from similar substances.

**2,6-di-tert-butyl-p-cresol:**

Exposure routes : Skin  
 Species : Humans  
 Result : Does not cause skin sensitisation.

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Exposure routes : Skin  
 Species : Guinea pig  
 Method : OECD Test Guideline 406  
 Result : Does not cause skin sensitisation.

**Germ cell mutagenicity****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Test system: Chinese hamster fibroblasts  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative  
 GLP: yes

Test Type: Chromosome aberration test in vitro

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

**2-hydroxyethyl methacrylate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Chromosome aberration test in vitro  
Species: Drosophila melanogaster (vinegar fly)  
Result: negative

**methacrylic acid, monoester with propane-1,2-diol:**

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Metabolic activation: with and without metabolic activation  
Result: positive

Genotoxicity in vivo : Result: negative

Exposure time: 2 d  
Dose: 500 - 2000 mg/kg  
Method: OECD Test Guideline 474

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

Result: negative

Dose: 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

**methacrylic acid:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Rat (male)  
Cell type: Somatic  
Application Route: Inhalation  
Exposure time: 2 h  
Dose: 0.4, 1.6, 2.8 and 4 mg/L  
Method: OECD Test Guideline 475  
Result: Not classified due to inconclusive data.  
GLP: no

Test Type: dominant lethal test  
Species: Mouse (male)  
Application Route: Inhalation  
Exposure time: 6 h  
Dose: 0.405, 4.05 and 36.45 mg/L  
Method: OECD Test Guideline 478  
Result: negative  
GLP: no

**titanium dioxide:**

Genotoxicity in vitro : Test Type: Ames test  
Concentration: 100 - 200 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Concentration: 31 - 500 µg/L  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Concentration: 125 - 2500 µg/L  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (males)  
Application Route: Inhalation  
Exposure time: 5 consecutive days

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Dose: 0.8, 7.2, and 28.5 mg/m<sup>3</sup>  
 Method: OECD Test Guideline 474  
 Result: negative

Test Type: Micronucleus test  
 Species: Rat (male and female)  
 Application Route: Oral  
 Exposure time: once  
 Dose: 500, 1000, and 2000 mg/kg bw  
 Method: OECD Test Guideline 474  
 Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

**2,2'-(4-methylphenyl)imino]bisethanol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative  
 GLP: no

Test Type: Chromosome aberration test in vitro  
 Test system: Human lymphocytes  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 473  
 Result: negative  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

Test Type: In vitro mammalian cell gene mutation test  
 Test system: mouse lymphoma cells  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

**2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
 Metabolic activation: with and without metabolic activation  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Metabolic activation: with and without metabolic activation  
 Result: negative

Genotoxicity in vivo : Application Route: Intraperitoneal injection  
 Dose: 75 mg/kg  
 Result: negative



**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Application Route: Oral  
 Exposure time: 9 Months  
 Dose: ca 750 mg/kg  
 Result: negative

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
 Result: negative

Method: OECD Test Guideline 476  
 Result: negative

Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Application Route: Intraperitoneal injection  
 Exposure time: 48 h  
 Dose: 2000 mg/kg  
 Method: OECD Test Guideline 474  
 Result: negative

**Carcinogenicity****Components:****2-hydroxyethyl methacrylate:**

Species : Mouse  
 Application Route : inhalation (vapour)  
 Exposure time : 102 weeks  
 Frequency of Treatment : 5 days/week  
 Method : OECD Test Guideline 451  
 Result : negative  
 Remarks : Information given is based on data obtained from similar substances.

Species : Rat  
 Application Route : Oral  
 Exposure time : 104 weeks  
 Result : negative  
 Remarks : Information given is based on data obtained from similar substances.

**methacrylic acid, monoester with propane-1,2-diol:**

Species : Rat, male and female  
 Application Route : Inhalation  
 Exposure time : 24 month(s)  
 Dose : 250 - 1000 ppm  
 Method : OECD Test Guideline 451  
 Result : negative

Species : Rat, male and female  
 Application Route : Oral  
 Exposure time : 104 weeks  
 Dose : 6 - 2000 ppm  
 Frequency of Treatment : 7 daily

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Result : negative

**methacrylic acid:**

Species	: Rat, male and female
Application Route	: inhalation (vapour)
Exposure time	: 102 weeks
Frequency of Treatment	: 5 days/week
NOAEL	: >= 2.05 mg/kg body weight
Method	: OECD Test Guideline 451

Species	: Mouse, male and female
Application Route	: inhalation (vapour)
Exposure time	: 102 weeks
Dose	: ca. 2.05 and 4.1 mg/L
Frequency of Treatment	: 5 days/week
LOAEL	: ca. 2.05 mg/l
Method	: OECD Test Guideline 451

**titanium dioxide:**

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 103 weeks
Dose	: 0, 25000, 50000 ppm
Frequency of Treatment	: 7 days/week
NOAEL	: > 50.000 ppm
Method	: No information available.
Remarks	: Titanium Dioxide: based on the results of chronic inhalation studies (with positive results only in a single species - rat), IARC has concluded that: "There is inadequate evidence in humans for the carcinogenicity of titanium dioxide. " but that : "There is sufficient evidence in experimental animals for carcinogenicity of titanium dioxide". IARCs overall evaluation was that "titanium dioxide is possibly carcinogenic to humans (Group 2B)."

Huntsman has examined all of the available animal carcinogenicity and mechanistic data together with workplace epidemiology data for titanium dioxide and concludes that the weight of scientific evidence indicates that there is no causative link between titanium dioxide exposure and cancer risk in humans and that workplace exposures in compliance with applicable exposure standards will not result in lung cancer or chronic respiratory diseases in humans.

Carcinogenicity - Assessment	: Not classifiable as a human carcinogen.
------------------------------	---

**2,6-di-tert-butyl-p-cresol:**

Species	: Rat, male and female
Application Route	: Oral
Result	: negative

<b>IARC</b>	Group 2B: Possibly carcinogenic to humans titanium dioxide
-------------	---

13463-67-7

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**      No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Effects on fertility      :    Species: Rat, male and female  
Application Route: Oral  
Dose: 0 , 25, 100, 500 mg/  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEL: 25 mg/kg body weight  
General Toxicity F1: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Effects on foetal development      :    Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 25, 100, 500 mg/  
Frequency of Treatment: 7 days  
Developmental Toxicity: NOAEL: > 500 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

**2-hydroxyethyl methacrylate:**

Effects on fertility      :    Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: NOAEL: 50 mg/kg body weight  
Fertility: NOAEL: 400 mg/kg body weight  
Early Embryonic Development: NOAEL: 400 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.  
Remarks: Information given is based on data obtained from similar substances.

Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight  
General Toxicity F1: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on foetal development      :    Species: Rat  
Application Route: Inhalation  
General Toxicity Maternal: LOEL: 0.41 g/m3  
Teratogenicity: NOAEC F1: 8.3  
Embryo-foetal toxicity: NOAEC F1: 8.3  
Method: OECD Test Guideline 414  
Remarks: Information given is based on data obtained from

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

similar substances.

Species: Rabbit  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 50 mg/kg body weight  
 Developmental Toxicity: NOAEL: 450 mg/kg body weight  
 Method: OECD Test Guideline 414  
 Remarks: Information given is based on data obtained from similar substances.

**methacrylic acid, monoester with propane-1,2-diol:**

Effects on fertility : Species: Rat, male and female  
 Application Route: Oral  
 Method: OECD Test Guideline 416

Effects on foetal development : Species: Rabbit, female  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 50 mg/kg body weight  
 Method: OECD Test Guideline 414  
 Result: No teratogenic effects

**methacrylic acid:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat, male and female  
 Application Route: Oral  
 Dose: 0, 50, 150, 450 mg/kg/day  
 General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
 Fertility: NOAEL F1: 400 mg/kg body weight  
 Symptoms: Reduced body weight  
 Method: OECD Test Guideline 416  
 GLP: yes

Effects on foetal development : Test Type: Pre-natal  
 Species: Rat, female  
 Application Route: Inhalation  
 Dose: 0, 50, 100, 200 or 300 ppm  
 Duration of Single Treatment: 14 d  
 Frequency of Treatment: 7 days/week  
 General Toxicity Maternal: NOAEL: 200 ppm  
 Developmental Toxicity: NOAEL: >= 300 ppm  
 Embryo-foetal toxicity: NOAEC F1: 300 ppm  
 Method: OECD Test Guideline 414  
 Result: No effects on fertility and early embryonic development were detected.

Test Type: Pre-natal  
 Species: Rabbit, male and female  
 Application Route: Oral  
 Dose: 50, 150, 450 milligram per kilogram  
 Duration of Single Treatment: 23 d  
 Frequency of Treatment: 7 days/week  
 General Toxicity Maternal: NOAEL: 50 mg/kg body weight  
 Developmental Toxicity: NOAEL F1: 450 mg/kg body weight  
 Result: No effects on fertility and early embryonic development were detected.

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

**titanium dioxide:**

Effects on foetal development : Species: Rat, male and female  
 Application Route: Oral  
 Dose: 100, 300, and 1000 mg/kg bw/  
 Duration of Single Treatment: 20 d  
 Frequency of Treatment: 7 days/week  
 General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
 Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
 Method: OECD Test Guideline 414  
 Result: No adverse effects

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Effects on foetal development : Test Type: Pre-natal  
 Species: Rat, females  
 Application Route: Oral  
 Dose: 60/200/600 milligram per kilogram  
 Duration of Single Treatment: 15 d  
 General Toxicity Maternal: NOAEL: 200 mg/kg body weight  
 Developmental Toxicity: NOAEL: >= 600 mg/kg body weight  
 Method: OECD Test Guideline 414  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

**2,6-di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat, male and female  
 Application Route: Oral  
 Dose: 25/100/500 mg/kg bw/day  
 General Toxicity - Parent: NOAEL: 100 mg/kg body weight  
 General Toxicity F1: NOAEL: 25 mg/kg body weight  
 Result: negative

Effects on foetal development : Test Type: Pre-natal  
 Species: Mouse, female  
 Application Route: Oral  
 Duration of Single Treatment: 7 d  
 General Toxicity Maternal: NOAEL: 240 mg/kg body weight  
 Developmental Toxicity: NOAEL: 800 mg/kg body weight  
 Target Organs: spleen, Kidney

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Effects on fertility : Species: Rat, male and female  
 Application Route: Oral  
 Method: OECD Test Guideline 415  
 Result: negative

Effects on foetal development : Species: Rabbit  
 Application Route: Oral

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

General Toxicity Maternal: NOAEL: 200 mg/kg body weight  
 Method: OECD Test Guideline 414  
 Result: No teratogenic effects

**STOT - single exposure****Components:****methacrylic acid:**

Exposure routes : Inhalation  
 Target Organs : Respiratory Tract  
 Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Species : Rat, male and female  
 NOAEL : 25 mg/kg  
 Application Route : oral (gavage)  
 Number of exposures : 7 days a week  
 Dose : 0, 25, 100, 500 mg/k  
 Method : Subchronic toxicity  
 GLP : yes  
 Target Organs : Kidney, Liver

Repeated dose toxicity - : Mild skin irritation  
 Assessment

**2-hydroxyethyl methacrylate:**

Species : Rat  
 NOAEL : 100 mg/kg  
 Application Route : Oral  
 Method : OECD Test Guideline 422

Species : Rat  
 NOAEL : 0.5 mg/l  
 Application Route : Inhalation  
 Exposure time : 21 d

**methacrylic acid, monoester with propane-1,2-diol:**

Species : Rat, male and female  
 NOAEL : 300 mg/kg  
 Application Route : Ingestion  
 Exposure time : 1,176 h  
 Number of exposures : 7 d  
 Dose : 0, 30, 100, 300, 1000 mg/kg bw  
 Method : OECD Test Guideline 422

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
 Date of first issue: 01/11/2022

Print Date 01/11/2022

**methacrylic acid:**

Species : Rat, male and female  
 NOEC : 352 - 1232 mg/m<sup>3</sup>  
 Application Route : inhalation (vapour)  
 Test atmosphere : vapour  
 Exposure time : 90 d  
 Number of exposures : 6 h  
 Dose : 70/352/1232 mg/m<sup>3</sup>  
 Subsequent observation period : 5 days/week  
 Method : OECD Test Guideline 413  
 GLP : yes

**titanium dioxide:**

Species : Rat, male and female  
 NOEC : 3500 mg/m<sup>3</sup>  
 Application Route : Ingestion  
 Test atmosphere : dust/mist  
 Exposure time : 2 yr  
 Number of exposures : 5 d  
 Method : Chronic toxicity

Species : Rat, male and female  
 NOEC : 10 - 50 mg/m<sup>3</sup>  
 Application Route : Inhalation  
 Exposure time : 2 yr  
 Number of exposures : 6 hours/day, 5 days/week  
 Method : Chronic toxicity

Repeated dose toxicity - Assessment : No skin irritation, No eye irritation  
 No adverse effect has been observed in chronic toxicity tests.

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Species : Rat, male and female  
 NOAEL : 100 mg/kg  
 Application Route : Oral  
 Exposure time : 28 d  
 Number of exposures : daily  
 Dose : 100/300/600/1000 mg/kg bw/day  
 Method : OECD Test Guideline 407  
 GLP : yes  
 Remarks : Information given is based on data obtained from similar substances.

**2,6-di-tert-butyl-p-cresol:**

Species : Pig, male and female  
 NOAEL : >= 61 mg/kg  
 Application Route : oral (feed)  
 Exposure time : daily  
 Method : Chronic toxicity

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Species : Rat, male and female  
 NOAEL : 55 - 71 mg/kg/d

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

Application Route : Ingestion  
Exposure time : 2,160 h  
Number of exposures : 7 d  
Method : Subchronic toxicity

**Aspiration toxicity**

No data available

**Experience with human exposure**

No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.79 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 2.57 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.66  
plants : mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.233 mg/l  
aquatic invertebrates : Exposure time: 21 d  
(Chronic toxicity) : Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

**2-hydroxyethyl methacrylate:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203



**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

- Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 380 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 836 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Selenastrum capricornutum (green algae)): 400 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 24.1 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**methacrylic acid, monoester with propane-1,2-diol:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 493 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: DIN 38412
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 143 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Test substance: Fresh water
- Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 97.2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 45.2 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

**Ecotoxicology Assessment**

- Acute aquatic toxicity : This product has no known ecotoxicological effects.
- Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**methacrylic acid:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 85 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
Test substance: Fresh water  
Method: Fish Acute Toxicity Test  
GLP: yes

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Remarks: Toxic to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 130 mg/l  
 End point: Immobilization  
 Exposure time: 48 h  
 Test Type: flow-through test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids  
 GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 45 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201  
 GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 8.2 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201  
 GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Brachydanio rerio (zebrafish)): 10 mg/l  
 Exposure time: 35 d  
 Test Type: flow-through test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 210  
 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 53 mg/l  
 Exposure time: 21 d  
 Test Type: flow-through test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211  
 GLP: yes

Toxicity to microorganisms : EC50 (Pseudomonas putida): 270 mg/l  
 Exposure time: 16.5 h  
 Test Type: static test  
 Analytical monitoring: no  
 Test substance: Fresh water  
 Method: DIN 38 412 Part 8  
 GLP: yes

**titanium dioxide:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l  
 Exposure time: 96 h

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Test Type: semi-static test  
 Test substance: Marine water  
 Method: OECD Test Guideline 203

Plant toxicity : NOEC: 100,000 mg/kg  
 Exposure time: 480 h

Sediment toxicity : (Gammarus pulex (Amphipod)): > 100000 mg/kg sediment dw  
 Study: Acute  
 Test Type: semi-static test  
 Water: Fresh water  
 Exposure duration: 28 d  
 Method: ASTM Method, other

(Gammarus pulex (Amphipod)): 100000 mg/kg sediment dw  
 Study: Chronic  
 Test Type: semi-static test  
 Water: Fresh water  
 Exposure duration: 28 d  
 Method: ASTM Method, other

(Gammarus pulex (Amphipod)): 14989 mg/kg sediment dw  
 Study: Acute  
 Test Type: semi-static test  
 Water: Marine water  
 Exposure duration: 10 d

Toxicity to terrestrial organisms : NOEC: 10,000 mg/kg  
 Exposure time: 672 h

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l  
 End point: mortality  
 Exposure time: 96 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 203  
 GLP: yes  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 48 mg/l  
 End point: Immobilization  
 Exposure time: 48 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 202  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
 Exposure time: 72 h  
 Test Type: static test

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201  
 GLP: yes  
 Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201  
 GLP: yes  
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
 Exposure time: 3 h  
 Test Type: static test  
 Analytical monitoring: no  
 Test substance: Fresh water  
 Method: OECD Test Guideline 209  
 GLP: yes  
 Remarks: Information given is based on data obtained from similar substances.

**2,6-di-tert-butyl-p-cresol:**

Toxicity to fish : LC50 (Fish): 0.199 mg/l  
 Exposure time: 96 h  
 Test substance: Fresh water  
 Method: QSAR

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
 End point: Immobilization  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 0.053 mg/l  
 Exposure time: 30 d  
 Test substance: Fresh water

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

Method: OECD Test Guideline 210

NOEC (Fish): >= 23.8 mg/l  
 Exposure time: 70 d  
 Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): 0.096 mg/l  
 Exposure time: 21 d  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 0.069 mg/l  
 Exposure time: 21 d  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : ErC50 (activated sludge): 1.7 mg/l  
 Exposure time: 24 h  
 Test Type: static test

**3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 70.7 mg/l  
 Exposure time: 96 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 97 mg/l  
 Exposure time: 72 h  
 Test substance: Marine water  
 Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Brachydanio rerio (zebrafish)): 50 mg/l  
 Exposure time: 96 hrs  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.1 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 209

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

**Persistence and degradability****Components:****exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable.  
Exposure time: 28 d  
Method: OECD Test Guideline 310  
GLP: yes

**2-hydroxyethyl methacrylate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 100 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C

**methacrylic acid, monoester with propane-1,2-diol:**

Biodegradability : Inoculum: activated sludge  
Concentration: 100 mg/l  
Result: Readily biodegradable.  
Biodegradation: 81 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

Stability in water : Degradation half life (DT50): 73.3 d (40 °C) pH: 7  
Method: OECD Test Guideline 111  
GLP: No information available.

Degradation half life (DT50): 38.2 d (40 °C) pH: 9  
Method: OECD Test Guideline 111  
GLP: No information available.

**methacrylic acid:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 3 mg/l  
Result: Readily biodegradable.  
Biodegradation: 86 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

**2,2'-[(4-methylphenyl)imino]bisethanol:**

Biodegradability : aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 18 mg/l  
Result: Not biodegradable  
Biodegradation: 1.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes  
Remarks: Based on data from similar materials



**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

**Mobility in soil****Components:****2,6-di-tert-butyl-p-cresol:**

Distribution among environmental compartments : Koc: 8183

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
 Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
 Toxic to aquatic life.  
 Harmful to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Send to a licensed waste management company.  
 Dispose of as hazardous waste in compliance with local and national regulations.  
 Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Do not re-use empty containers.  
 Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as dangerous goods

**IATA-DGR**

Not regulated as dangerous goods

**IMDG-Code**

Not regulated as dangerous goods

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**



**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

**49 CFR**

UN/ID/NA number	:	NA 1993
Proper shipping name	:	Combustible liquid, n.o.s. (METHACRYLIC ACID)
Class	:	CBL
Packing group	:	III
Labels	:	NONE
ERG Code	:	128
Marine pollutant	:	no
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

**Special precautions for user**

Remarks : 49CFR: no dangerous good in non-bulk packaging  
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Respiratory or skin sensitisation  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

WARNING: This product can expose you to chemicals including titanium dioxide, ethylene oxide, which is/are known to the State of California to cause cancer, and Ethylene glycol, methanol, ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

DSL	:	This product contains one or several components that are not on the Canadian DSL nor NDSL.
AIIC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory

**ARALDITE® 2080-15 A**

Version 0.0      Revision Date: 01/11/2022      SDS Number: 400000010906      Date of last issue: -  
Date of first issue: 01/11/2022

Print Date 01/11/2022

KECI : On the inventory, or in compliance with the inventory  
 PICCS : Not in compliance with the inventory  
 IECSC : On the inventory, or in compliance with the inventory  
 TCSI : On the inventory, or in compliance with the inventory  
 TSCA : All substances listed as active on the TSCA inventory

**Inventories**


AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>		<b>3</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 01/11/2022

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

**ARALDITE® 2080-15 A**

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	01/11/2022	400000010906	Date of first issue: 01/11/2022

Print Date 01/11/2022

workday during a 40-hour workweek  
OSHA P0 / TWA : 8-hour time weighted average  
OSHA Z-1 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

[chemical-concepts.com](http://chemical-concepts.com)**800.220.1966**

410 Pike Road • Huntingdon Valley, PA 19006

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

- Get medical attention if symptoms occur.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Metal oxides  
Carbon oxides  
Halogenated compounds
- Specific extinguishing methods : No data is available on the product itself.

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
 Date of first issue: 11/30/2020

Print Date 12/07/2021

SDS.

Recommended storage temperature : 36 - 46 °F / 2 - 8 °C

Further information on storage stability : Stable under normal conditions.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
aluminium hydroxide	21645-51-2	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminium)	ACGIH
dibenzoyl peroxide	94-36-0	TWA	5 mg/m <sup>3</sup>	ACGIH
		TWA	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA	5 mg/m <sup>3</sup>	NIOSH REL
		TWA	5 mg/m <sup>3</sup>	OSHA P0
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

Material : butyl-rubber  
 Material : Ethyl Vinyl Alcohol Laminate (EVAL)  
 Break through time : > 8 h

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Material	: Nitrile rubber
Break through time	: 10 - 480 min
Remarks	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: paste
Colour	: grey
Odour	: slight
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flash point	: No data is available on the product itself.
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Lower explosion limit / Lower flammability limit	:	No data is available on the product itself.
Vapour pressure	:	No data is available on the product itself.
Relative vapour density	:	No data is available on the product itself.
Relative density	:	No data is available on the product itself.
Density	:	1.37 - 1.38 g/cm <sup>3</sup> (77 °F / 25 °C)
Solubility(ies)		
Water solubility	:	immiscible, insoluble
Solubility in other solvents	:	No data is available on the product itself.
Partition coefficient: n-octanol/water	:	No data is available on the product itself.
Auto-ignition temperature	:	No data is available on the product itself.
Decomposition temperature	:	Decomposition energy (mass): 260 KJ/kg
Self-Accelerating decomposition temperature (SADT)	:	122 °F / 50 °C
Viscosity		
Viscosity, dynamic	:	60,000 - 80,000 mPa.s (77 °F / 25 °C)
Explosive properties	:	No data is available on the product itself.
Oxidizing properties	:	No data is available on the product itself.
Particle size	:	No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Dust may form explosive mixture in air.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	aluminium oxide carbon dioxide carbon monoxide Halogenated compounds



**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : No data is available on the product itself.

**Acute toxicity****Components:**

aluminium hydroxide:

Acute oral toxicityComponents : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

dibenzoyl peroxide:

Acute oral toxicityComponents : LD50 (Mouse, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicityComponents : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

silicon dioxide:

Acute oral toxicityComponents : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

**Components:**

dibenzoyl peroxide:

Acute inhalation toxicity : LC50 (Rat, male): > 24.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

silicon dioxide:

Acute inhalation toxicity : LC50 (Rat, male and female): > 58.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Components:**

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

silicon dioxide:

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Components:**

dibenzoyl peroxide:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Exposure time: 4 h

Assessment: Irritating to skin.

Method: OECD Test Guideline 404

Result: Irritating to skin.

silicon dioxide:

Species: Rabbit

Assessment: No skin irritation

Method: OECD Test Guideline 404

Result: No skin irritation

**Serious eye damage/eye irritation****Components:**

dibenzoyl peroxide:

Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Result: Irritating to eyes.

Assessment: Irritating to eyes.

Method: OECD Test Guideline 405

silicon dioxide:

Species: Rabbit

Result: No eye irritation

Assessment: No eye irritation

Method: OECD Test Guideline 405

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
 Date of first issue: 11/30/2020

Print Date 12/07/2021

**Respiratory or skin sensitisation****Components:**

dibenzoyl peroxide:  
 Exposure routes: Skin  
 Species: Mouse  
 Assessment: May cause sensitisation by skin contact.  
 Method: OECD Test Guideline 429  
 Result: Causes sensitisation.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type: Local lymph node assay (LLNA)  
 Exposure routes: Skin  
 Species: Mouse  
 Method: OECD Test Guideline 429  
 Result: The product is a skin sensitiser, sub-category 1B.

Assessment: No data available

**Germ cell mutagenicity****Components:**

dibenzoyl peroxide:  
 Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative

Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Test system: mouse lymphoma cells  
 Metabolic activation: without metabolic activation  
 Result: positive

Test Type: reverse mutation assay  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
 Result: negative

silicon dioxide:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 473  
 Result: negative

Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative

Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

**Components:**

dibenzoyl peroxide:  
Genotoxicity in vivo      : Cell type: Somatic  
Application Route: Intraperitoneal injection  
Dose: 0, 50, 100, 200 mg/kg b.w.  
Method: OECD Test Guideline 474  
Result: negative

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Genotoxicity in vivo      : Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Dose: 3333, 10000 mg/kg  
Result: negative

Test Type: gene mutation test  
Species: Rat (male)  
Cell type: Somatic  
Application Route: Oral  
Dose: 50,250,500,1000 mg/kg bw/day  
Method: OECD Test Guideline 488  
Result: negative

silicon dioxide:  
Genotoxicity in vivo      : Application Route: Inhalation  
Dose: 50 mg/m<sup>3</sup>  
Result: negative

Germ cell mutagenicity-  
Assessment      : No data available

**Carcinogenicity****Components:**

dibenzoyl peroxide:  
Species: Mouse, male and female  
Application Route: Dermal  
Exposure time: 104 weeks  
Result: negative

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Species: Rat, male  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
NOAEL: 15 mg/kg bw/day

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Mouse, male

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0, 0.1, 10, 100 mg/kg bw/day  
Frequency of Treatment: 3 days/week  
NOEL: 0.1 mg/kg body weight

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Rat, female  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0.1, 100, 1000 mg/kg bw/day  
Frequency of Treatment: 5 days/week  
NOEL: 100 mg/kg body weight

Method: OECD Test Guideline 453  
Result: negative

Species: Rat, female  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
NOAEL: 100 mg/kg bw/day

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Rat, females  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
NOEL: 2 mg/kg bw/day

Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

silicon dioxide:  
Species: Rat, male and female  
Application Route: Oral  
Exposure time: 103 weeks  
Dose: 1800 - 3200 mg/kg  
Frequency of Treatment: 7 daily  
Method: OECD Test Guideline 453  
Result: negative

Carcinogenicity - Assessment : No data available

**IARC** Group 1: Carcinogenic to humans  
silicon dioxide

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
 Date of first issue: 11/30/2020

Print Date 12/07/2021

(Silica dust, crystalline)

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

Known to be human carcinogen  
 silicon dioxide  
 (Silica, Crystalline (Respirable Size))

**Reproductive toxicity****Components:**

dibenzoyl peroxide:  
 Effects on fertility

: Species: Rat, male and female  
 Application Route: Oral  
 Dose: 0, 250, 500, 1,000 mg/kg b.w/  
 General Toxicity - Parent: No observed adverse effect level:  
 500 mg/kg body weight  
 General Toxicity F1: No observed adverse effect level: 500  
 mg/kg body weight  
 Method: OECD Test Guideline 422

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type: Two-generation study  
 Species: Rat, male and female  
 Application Route: Oral  
 Dose: 0, 50, 180, 540 or 750 milligram per kilogram  
 Duration of Single Treatment: 238 d  
 Frequency of Treatment: 1 daily  
 General Toxicity - Parent: No-observed-effect level: 540  
 mg/kg body weight  
 General Toxicity F1: No-observed-effect level: 750 mg/kg  
 body weight  
 Symptoms: No adverse effects  
 Method: OECD Test Guideline 416  
 Result: No effects on fertility and early embryonic  
 development were detected.

**Components:**

dibenzoyl peroxide:  
 Effects on foetal  
 development

: Species: Rat  
 Dose: 100, 300 or 1000 mg/kg/day  
 General Toxicity Maternal: No observed adverse effect level:  
 300 mg/kg body weight  
 Developmental Toxicity: No observed adverse effect level:  
 300 mg/kg body weight  
 Method: OECD Test Guideline 414

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit, female  
 Application Route: Dermal

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Dose: 0, 30, 100 or 300 milligram per kilogram  
Duration of Single Treatment: 28 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level:  
30 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level:  
300 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 20, 60 or 180 milligram per kilogram  
Duration of Single Treatment: 13 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level:  
60 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level:  
180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0, 60, 180 and 540 milligram per kilogram  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level:  
180 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: >  
540 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

silicon dioxide:

Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
1,340 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
1,600 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
1,350 mg/kg body weight  
Method: OECD Test Guideline 414

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

dibenzoyl peroxide:

Species: Rat, male and female

NOAEL: &gt; 100 mg/kg

Application Route: Skin contact

Number of exposures: 2 years

Method: OECD Test Guideline 451

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: oral (gavage)

Exposure time: 14 Weeks

Number of exposures: 7 d

Dose: 0, 50, 250, 1000 mg/kg/day

Method: OECD Test Guideline 408

Species: Rat, male and female

NOAEL: &gt;= 10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 5 d

Dose: 0, 10, 100, 1000 mg/kg/day

Method: OECD Test Guideline 411

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 3 d

Dose: 0, 1, 10, 100 mg/kg/day

Method: OECD Test Guideline 411

silicon dioxide:

Species: Rat, male and female

NOEC: 4000 - 4500 mg/m<sup>3</sup>

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 13 Weeks



**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Number of exposures: 7 d  
Method: OECD Test Guideline 413

Repeated dose toxicity - Assessment : No data available

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available



chemical-concepts.com

**800.220.1966**

410 Pike Road • Huntingdon Valley, PA 19006

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

Ingestion: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

aluminium hydroxide:

Toxicity to fish : LC50: > 10,000 mg/l  
Exposure time: 96 h

dibenzoyl peroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0602 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

silicon dioxide:  
Toxicity to fish : LL50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

**Components:**

aluminium hydroxide:  
Toxicity to daphnia and other : EC50: > 10,000 mg/l  
aquatic invertebrates      Exposure time: 48 h

dibenzoyl peroxide:  
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.11 mg/l  
aquatic invertebrates      Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.8 mg/l  
aquatic invertebrates      Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

silicon dioxide:  
Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): >= 1,000 mg/l  
aquatic invertebrates      Exposure time: 24 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

**Components:**

dibenzoyl peroxide:  
Toxicity to algae/aquatic : EbC50 (Selenastrum capricornutum (green algae)): 0.0422  
plants      mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Toxicity to algae/aquatic : EC50: 11 mg/l  
plants      Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

NOEC: 4.2 mg/l  
Exposure time: 72 h

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Test Type: static test  
 Test substance: Fresh water  
 Method: EPA-660/3-75-009

silicon dioxide:

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 201

**Components:**

dibenzoyl peroxide:  
 M-Factor (Acute aquatic toxicity) : 10  
 Toxicity to fish (Chronic toxicity) : No data available

**Components:**

dibenzoyl peroxide:  
 Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.001 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Method: OECD Test Guideline 211

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
 Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211

**Components:**

dibenzoyl peroxide:  
 M-Factor (Chronic aquatic toxicity) : 10

**Components:**

dibenzoyl peroxide:  
 Toxicity to microorganisms : EC50 (activated sludge): 35 mg/l  
 Exposure time: 0.5 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 209

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
 Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
 Exposure time: 3 h  
 Test Type: static test  
 Test substance: Fresh water

Toxicity to soil dwelling organisms : No data available

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment  
Acute aquatic toxicity : No data available**Components:**2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**dibenzoyl peroxide:  
Biodegradability : Inoculum: activated sludge  
Concentration: 4 mg/l  
Result: Readily biodegradable.  
Biodegradation: 68 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

Physico-chemical  
removability : No data available

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water  
  
Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water  
  
Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage  
Treatment : No data available

**Bioaccumulative potential****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

**Components:**

dibenzoyl peroxide:  
Partition coefficient: n-  
octanol/water : log Pow: 3.2 (72 °F / 22 °C)  
pH: 7.02  
Method: OECD Test Guideline 117

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Partition coefficient: n-  
octanol/water : log Pow: 3.242 (77 °F / 25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

**Mobility in soil**

Mobility : No data available

**Components:**

dibenzoyl peroxide:  
Distribution among  
environmental compartments : Koc: 6309.57  
Method: OECD Test Guideline 121

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Distribution among  
environmental compartments : Koc: 445  
Stability in soil : No data available

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Dispose of as hazardous waste in compliance with local and national regulations.  
Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
Date of first issue: 11/30/2020

Print Date 12/07/2021

**IATA**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(DIBENZOYL PEROXIDE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(DIBENZOYL PEROXIDE)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****DOT Classification**

UN/ID/NA number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(DIBENZOYL PEROXIDE)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(DIBENZOYL PEROXIDE)  
Remarks : Shipment by ground under DOT is non-regulated; however it  
may be shipped per the applicable hazard classification to  
facilitate multi-modal transport involving ICAO (IATA) or IMO.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitisation  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

dibenzoyl peroxide                      94-36-0                      >= 10 - < 20 %

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**California Prop. 65**

WARNING: This product can expose you to chemicals including silicon dioxide, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

DSL	:	This product contains one or several components that are not on the Canadian DSL nor NDSL.
AICS	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	On or in compliance with the active portion of the TSCA inventory

**Inventories**

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.



**HARDENER 2080 B**

Version 1.0      Revision Date: 11/30/2020      SDS Number: 400000010343      Date of last issue: -  
 Date of first issue: 11/30/2020

Print Date 12/07/2021


**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

- Revision Date : 11/30/2020
- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
- ACGIH / TWA : 8-hour, time-weighted average
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- OSHA P0 / TWA : 8-hour time weighted average
- OSHA Z-1 / TWA : 8-hour time weighted average
- OSHA Z-3 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

**HARDENER 2080 B**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/30/2020	400000010343	Date of first issue: 11/30/2020

Print Date 12/07/2021

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.



chemical-concepts.com

**800.220.1966**

410 Pike Road • Huntingdon Valley, PA 19006