

**Permabond**<sup>®</sup>  
Engineering Adhesives

**Chemical Concepts**<sup>™</sup>  
Our customers stick with us.  
chemical-concepts.com  
**800.220.1966**

**SAFETY DATA SHEET**  
**Permabond 4C40**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** Permabond 4C40

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Permabond Engineering Adhesives Ltd.  
Wessex Way  
Colden Common  
Winchester  
Hampshire. SO21 1WP  
United Kingdom  
Tel: +44 (0)1962 711 661  
Fax: +44 (0)1962 711 662  
info.europe@permabond.com

**1.4. Emergency telephone number**

**Emergency telephone** UK +44 (0)1962 711 661 USA 0800 640 7599 Asia +86 (0)21 5773 4913

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** Xi;R36/37/38.

**2.2. Label elements**

**Pictogram**



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

## Permabond 4C40

<b>Precautionary statements</b>	P280 Wear protective gloves, eye and face protection. P302+P352a IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/ attention.
<b>Supplemental label information</b>	EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
<b>Contains</b>	ETHYL 2-CYANOACRYLATE
<b>Supplementary precautionary statements</b>	P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with existing Community, National and local regulations.

### 2.3. Other hazards

None under normal conditions.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>ETHYL 2-CYANOACRYLATE</b>	<b>60-100%</b>
CAS number: 7085-85-0	EC number: 230-391-5
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Skin Irrit. 2 - H315	Xi;R36/37/38
Eye Irrit. 2 - H319	
STOT SE 3 - H335	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air. Get medical attention if any discomfort continues.
<b>Ingestion</b>	On contact, immediate bonding of mouth could occur. Do not induce vomiting. Get medical attention.
<b>Skin contact</b>	On contact, immediate bonding of the skin will occur. No attempt should be made to remove material from skin or to remove contaminated clothing, as the bonded skin can be easily torn. Wash skin thoroughly with soap and water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. If adhesive bonding occurs, do not force eyelids apart. Apply a pad soaked in warm water and allow the eyelids to separate. Get medical attention. Cured adhesive will not bond well to surface of eye, but corneal damage from abrasion may result.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Irritation of nose, throat and airway.
<b>Ingestion</b>	On contact, immediate bonding of mouth could occur.

## Permabond 4C40

**Skin contact** Prolonged skin contact may cause redness and irritation.

**Eye contact** Irritating and may cause redness and pain.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** SKIN BONDING. Prise the skin apart slowly working from the edge of the bonded area. This can be eased by using warm soapy water. EYE BONDING. DO NOT force eyelids apart. Apply a pad soaked in warm water and allow the eye to separate itself.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with foam, carbon dioxide, dry powder or water fog.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Cloths used to wipe up spills may cause rapid polymerization that could generate sufficient heat to ignite the cloth.

**Hazardous combustion products** Decomposes upon heating to release toxic fumes of nitrogen oxides, carbon monoxide, carbon dioxide, and hydrogen cyanide.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours.

**Special protective equipment for firefighters** Use air-supplied respirator, gloves and protective goggles.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8. Provide adequate ventilation.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Small spills: wipe up with cloth. Immediately soak cloth with water to polymerize the adhesive. Caution! Cloth containing adhesive may undergo autoignition if not soaked with water Large spills: flood area with water. When cured, remove film with a scraper.

### 6.4. Reference to other sections

**Reference to other sections** Collect and dispose of spillage as indicated in Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Always replace cap after use.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry and cool place. Keep containers upright.

### 7.3. Specific end use(s)

**Specific end use(s)** Adhesive.

## SECTION 8: Exposure Controls/personal protection

## Permabond 4C40

### 8.1. Control parameters

#### Occupational exposure limits

#### ETHYL 2-CYANOACRYLATE

Short-term exposure limit (15-minute): WEL 0.3 ppm 1.5 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Normal (mechanical) room ventilation should be adequate for small volumes. For higher volume activities, or if needed for worker comfort, local mechanical exhaust should be provided.

#### Eye/face protection

Use approved safety goggles or face shield. Personal eye protection should conform to EN 166

#### Hand protection

Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should not be worn. Gloves should conform to EN 374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

#### Other skin and body protection

Uniforms, coveralls, or a lab coat should be worn

#### Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Wash promptly if skin becomes contaminated. Use of good industrial hygiene practices is required.

#### Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Pungent.
pH	Not applicable.
Melting point	Not applicable.
Initial boiling point and range	>100°C
Flash point	83°C
Evaporation rate	Not available.
Vapour pressure	~0.6 mbar @ 25°C
Vapour density	Not applicable.
Relative density	1.1
Bulk density	Not applicable.

## Permabond 4C40

<b>Solubility(ies)</b>	Hardens in contact with water. Insoluble in water. Miscible with the following materials: Organic solvents.
<b>Partition coefficient</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	≈2000 mPa s @ 23°C
<b>Oxidising properties</b>	Not applicable.

### 9.2. Other information

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

**Reactivity** The product reacts with water and will generate heat.

##### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

##### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Reactions with the following materials may generate heat: Water Alcohols. Alkalis. Amines.

##### 10.4. Conditions to avoid

**Conditions to avoid** Do not add water directly to the product. It may cause a violent reaction.

##### 10.5. Incompatible materials

**Materials to avoid** Water. Amines. Alkalis. Alcohols.

##### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Heating may generate the following products: Toxic gases/vapours/fumes of: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Nitrous gases (NO<sub>x</sub>). Hydrogen cyanide (HCN).

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

**Toxicological effects** Under EU legislation the cyanoacrylates do not require classification as sensitisers and the rapid polymerisation caused on contact with moisture makes this unlikely. However the American Conference of Governmental Industrial Hygienists (ACGIH) has reported some limited evidence of skin and respiratory sensitisation. May cause allergic reactions in susceptible people.

**Inhalation** Irritating to respiratory system.

**Ingestion** On contact, immediate bonding of mouth could occur.

**Skin contact** Irritating to skin. On contact, immediate bonding of the skin will occur.

**Eye contact** Irritating to eyes. On contact, will bond eyelids together. Vapours are lachrymatory.

##### Toxicological information on ingredients.

#### ETHYL 2-CYANOACRYLATE

##### Acute toxicity - oral

## Permabond 4C40

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

**ATE oral (mg/kg)** 5,000.0

### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,000.1

**Species** Rabbit

**ATE dermal (mg/kg)** 2,000.1

### Skin corrosion/irritation

**Animal data** Dose: 0.5g, 24 hours, Rabbit Slightly irritating.

### Serious eye damage/irritation

**Serious eye damage/irritation** Not irritating.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Gene mutation: Negative. Chromosome aberration: Negative. Bacterial reverse mutation test: Negative.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

### 12.1. Toxicity

**Toxicity** No information available.

**Acute toxicity - aquatic invertebrates** Not available.

**Acute toxicity - aquatic plants** Not available.

**Acute toxicity - terrestrial** Not available.

### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

**Biological oxygen demand** Not known.

**Chemical oxygen demand** Not known.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not applicable.

### Ecological information on ingredients.

#### ETHYL 2-CYANOACRYLATE

**Partition coefficient** log Kow: 0.776

### 12.4. Mobility in soil

**Mobility** The product hardens to a solid, immobile substance.

## Permabond 4C40

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Waste disposal should be in accordance with existing Community, National and local regulations Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

**Disposal methods** Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

**Waste class** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous substances.

## SECTION 14: Transport information

**Road transport notes** Not classified.

**Rail transport notes** Not classified.

**Sea transport notes** Not classified.

**Air transport notes** Applies only to inner containers > 500ml.

### 14.1. UN number

**UN No. (ADR/RID)** Not applicable

**UN No. (IMDG)** Not applicable

**UN No. (ICAO)** 3334

**UN No. (ADN)** Not applicable

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** Not applicable

**Proper shipping name (IMDG)** Not applicable

**Proper shipping name (ICAO)** AVIATION REGULATED LIQUID, N.O.S. (contains ethyl cyanoacrylate)

**Proper shipping name (ADN)** Not applicable

### 14.3. Transport hazard class(es)

**ICAO class/division** 9

### Transport labels



### 14.4. Packing group

**ICAO packing group** III

## Permabond 4C40

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

None under normal conditions.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Health and Safety at Work etc. Act 1974 (as amended). The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste) Regulations 1980 (as amended). Control of Pollution Act 1974. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended).
<b>EU legislation</b>	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
<b>Guidance</b>	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

<b>Revision date</b>	14/09/2015
<b>Revision</b>	4
<b>Supersedes date</b>	13/05/2015
<b>Risk phrases in full</b>	R36/37/38 Irritating to eyes, respiratory system and skin.
<b>Hazard statements in full</b>	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.