

SAFETY DATA SHEET



Version 5

Revision Date 18-Mar-2019

1. IDENTIFICATION

Product identifier

Product Name BEARING MOUNT FOR RELAXED FITS 50ML

Other means of identification

Product Code 68050

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 2 |

Label elements

Emergency Overview

Signal word Warning

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer



Appearance Green Physical state Liquid Odor Irritating

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity 61.26 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|----------------|----------|----------|
| DIMETHYLBENZYL | 80-15-9 | 1 - 5 |
| HYDROPEROXIDE | | |
| MALEIC ACID | 110-16-7 | 0.1 - 1 |
| ACRYLIC ACID | 79-10-7 | 0.1 - 1 |
| CUMENE | 98-82-8 | 0.1 - 1 |

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

None in particular.

Explosion data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

Environmental precautionsSee Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Store locked up.

Incompatible materials Strong oxidizing agents, Amines

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-------------|--------------------------------------|----------------------------|
| ACRYLIC ACID | TWA: 2 ppm | (vacated) TWA: 10 ppm | TWA: 2 ppm |
| 79-10-7 | S* | (vacated) TWA: 30 mg/m ³ | TWA: 6 mg/m ³ |
| | | (vacated) S* | |
| CUMENE | TWA: 50 ppm | TWA: 50 ppm | IDLH: 900 ppm |
| 98-82-8 | | TWA: 245 mg/m ³ | TWA: 50 ppm |
| | | (vacated) TWA: 50 ppm | TWA: 245 mg/m ³ |
| | | (vacated) TWA: 245 mg/m ³ | |
| | | (vacated) S* | |
| | | S* | |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protectionUse NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceGreenOdorIrritating

Odor threshold No information available

Property Values Remarks • Method

pH No information available

Melting point / freezing point No information available

Boiling point / boiling range > 195 °C / > 383 °F

Flash point 95 °C / 203 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure <0.1 mm Hg

Vapor density No information available

Relative density 1.1

Water solubility Immiscible in water Solubility(ies) No information available **Partition coefficient** No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available Dynamic viscosity 1,300 mPas @ 20°C (68°F) **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) 1.01% (11.1 g/l)

DensityNo information availableBulk densityNo information availableSADT (self-accelerating)No information available

decomposition temperature)

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Amines

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion Ingestion may cause irritation to mucous membranes.

| | Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---------------|-----------|-------------|-----------------|
|--|---------------|-----------|-------------|-----------------|

| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | = 382 mg/kg (Rat) | = 0.126 mL/kg(Rabbit) | = 220 ppm (Rat) 4 h |
|--|--|--|---|
| MALEIC ACID 110-16-7 | = 708 mg/kg (Rat) | = 1560 mg/kg (Rabbit) | > 720 mg/m³ (Rat) 1 h |
| ACRYLIC ACID 79-10-7 | = 33500 μg/kg (Rat) = 193 mg/kg (Rat) | = 295 mg/kg (Rabbit) = 280 μL/kg (Rabbit) | = 3.6 mg/L (Rat) 4 h = 11.1 mg/L (Rat) 1 h |
| CUMENE 98-82-8 | = 1400 mg/kg (Rat) | = 12300 μL/kg (Rabbit) | > 3577 ppm (Rat) 6 h = 39000 mg/m ³ (Rat) 4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------------|-------|----------|------------------------|------|
| ACRYLIC ACID 79-10-7 | - | Group 3 | - | - |
| CUMENE 98-82-8 | - | Group 2B | Reasonably Anticipated | Х |

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 4668 mg/kg ATEmix (dermal) 2925 mg/kg ATEmix (inhalation-dust/mist) 9.7 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

95.575 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

| Chemical Name | Partition coefficient |
|-------------------------|-----------------------|
| MALEIC ACID 110-16-7 | -0.79 - 0.32 |
| ACRYLIC ACID 79-10-7 | 0.38 - 0.46 |
| CUMENE 98-82-8 | 3.7 |

Other adverse effects

No information available

| 4.0 | DIODOGAL | ACTIONED ATIONS |
|-----|----------|-----------------|
| 17 | DISPOSAL | CONSIDERATIONS |

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE | Toxic |
| 80-15-9 | Ignitable |
| CUMENE | Toxic |
| 98-82-8 | Ignitable |

14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

IATA

Proper shipping name: Not regulated

IMDG

Proper shipping name: Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Not determined **ENCS** Complies Complies **IECSC** Not determined **KECL PICCS** Not determined **AICS** Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| MALEIC ACID | 5000 lb | - | - | X |
| 110-16-7 | | | | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------|--------------------------|----------------|--------------------------|
| DIMETHYLBENZYL | 10 lb | - | RQ 10 lb final RQ |
| HYDROPEROXIDE | | | RQ 4.54 kg final RQ |
| 80-15-9 | | | |
| MALEIC ACID | 5000 lb | - | RQ 5000 lb final RQ |
| 110-16-7 | | | RQ 2270 kg final RQ |
| ACRYLIC ACID | 5000 lb | - | RQ 5000 lb final RQ |
| 79-10-7 | | | RQ 2270 kg final RQ |
| CUMENE | 5000 lb | - | RQ 5000 lb final RQ |
| 98-82-8 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|------------------|---------------------------|--|
| CUMENE - 98-82-8 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------|------------|---------------|--------------|
| DIMETHYLBENZYL | X | X | X |
| HYDROPEROXIDE | | | |
| 80-15-9 | | | |
| ACRYLIC ACID | X | X | X |
| 79-10-7 | | | |
| CUMENE | X | X | X |
| 98-82-8 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 18-Mar-2019

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

