

Permabond®

Engineering Adhesives

SAFETY DATA SHEET

Permabond HM160

1. Identification

Product identifier

Product name Permabond HM160

Recommended use of the chemical and restrictions on use

Application Adhesive. Sealant.

Details of the supplier of the safety data sheet

Supplier Permabond LLC
14 Robinson Street
Pottstown, PA 19464
USA
Telephone: 732-868-1372 or 800-640-7599
Website: www.permabond.com



chemical-concepts.com
800.220.1966
410 Pike Road • Huntingdon Valley, PA 19006

Emergency telephone number

Emergency telephone Medical: Poison Control Center 866-827-6282 (toll free) or 303-389-1109 Transport: CHEMTREC 800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317

Label elements

Hazard symbols



Signal word Warning

Hazard statements H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Permabond HM160

Precautionary statements	<p>P260 Do not breathe vapor/ spray.</p> <p>P261 Avoid breathing vapor/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing must not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a poison center/ doctor.</p> <p>P314 Get medical advice/ attention if you feel unwell.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.</p>
---------------------------------	---

Contains 2-HYDROXYETHYL METHACRYLATE

Other hazards

None under normal conditions.

3. Composition/information on ingredients

Mixtures

<p>POLY(OXY-1,2-ETHANEDIYL), A,A'-[(1-METHYLETHYLIDENE)DI-4,1-PHENYLENE]BIS[O-[(2-METHYL-1-OXO-2-PROPEN-1-YL)OXY]-</p> <p>CAS number: 41637-38-1</p>	60-100%
---	----------------

Classification

Not relevant.

2-HYDROXYETHYL METHACRYLATE

10-30%

CAS number: 868-77-9

Classification

Skin Irrit. 2 - H315
 Eye Irrit. 2A - H319
 Skin Sens. 1 - H317

METHACRYLIC ACID

1-5%

CAS number: 79-41-4

Classification

Acute Tox. 4 - H302
 Acute Tox. 3 - H311
 Acute Tox. 4 - H332
 Skin Corr. 1A - H314
 Eye Dam. 1 - H318
 STOT SE 3 - H335

Permabond HM160

CUMENE HYDROPEROXIDE	<1%
CAS number: 80-15-9	
Classification Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT RE 2 - H373 Not relevant.	
CYCLOHEXANE	<1%
CAS number: 110-82-7	
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Not relevant.	

The full text for all hazard statements is displayed in Section 16.

Composition comments Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. First-aid measures

Description of first aid measures

Inhalation	Move the exposed person to fresh air. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. If breathing stops, provide artificial respiration. Get medical attention.
Ingestion	Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.
Skin Contact	Wash skin thoroughly with soap and water. Take off contaminated clothing and wash it before reuse. Get medical attention.
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation	May cause respiratory irritation.
Ingestion	May cause irritation.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. Treat symptomatically.

Permabond HM160

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Special hazards arising from the substance or mixture

Hazardous combustion products Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons.

Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid discharge into drains.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Keep container tightly sealed when not in use. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Usage description Adhesive. Sealant.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

METHACRYLIC ACID

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 70 mg/m³

CYCLOHEXANE

Long-term exposure limit (8-hour TWA): ACGIH 100 ppm 344 mg/m³

Long-term exposure limit (8-hour TWA): OSHA 300 ppm 1050 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

Exposure controls

Appropriate engineering controls Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection Use safety goggles and face shield in case of splash risk.

Permabond HM160

Hand protection	Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should not be worn.
Other skin and body protection	Employee must wear appropriate protective clothing and equipment to prevent any possibility of skin contact with this substance.
Hygiene measures	Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs. Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid.
Color	Green.
Odor	Acrylic
Odor threshold	Not available.
pH	Not relevant.
Melting point	Not available.
Initial boiling point and range	Not applicable.
Flash point	>93°C (199.94°F)
Evaporation rate	Not available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.1
Bulk density	Not available.
Solubility(ies)	Slightly soluble in water. Miscible with the following materials: acetone
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	≈600 mPa s @ 23°C
Oxidizing properties	Not available.
Other information	Not relevant.
Volatile organic compound	<2 %, 20 grams/liter (Estimated)

10. Stability and reactivity

Reactivity	The following materials may react with the product: Strong oxidizing agents.
-------------------	--

Permabond HM160

Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	There are no known reactivity hazards associated with this product. Polymerization may occur at elevated temperature or in the presence of incompatible materials
Conditions to avoid	Avoid the absence of air, and metal contamination.
Materials to avoid	Metals and their salts. Free radical initiators. Strong alkalis. Strong oxidizing agents. Strong reducing agents. Alkalis.
Hazardous decomposition products	Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds.

11. Toxicological information

Information on toxicological effects

Toxicological effects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.

Skin corrosion/irritation

Animal data Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization May cause sensitisation by skin contact.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity No component of this product present at levels great than or equal to 0.1% is identified as a known carcinogen.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation In high concentrations, vapors may irritate throat and respiratory system and cause coughing.

Permabond HM160

Ingestion	May cause irritation.
Skin Contact	Causes skin irritation . Allergic reaction are possible.
Eye contact	Causes serious eye irritation.
Acute and chronic health hazards	This product may cause skin and eye irritation. May cause skin sensitization or allergic reactions in sensitive individuals.
Route of exposure	Skin and/or eye contact

Toxicological information on ingredients.

2-HYDROXYETHYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No information available.

Skin corrosion/irritation

Animal data Erythema/eschar score: Very slight erythema - barely perceptible (1). Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating.

Respiratory sensitization

Respiratory sensitization No information available.

Skin sensitization

Skin sensitization Guinea pig maximization test (GPMT) - Guinea pig: Sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitro Conclusive data but not sufficient for classification.

Genotoxicity - in vivo Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity No specific test data are available.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL >=1000 mg/kg/day, Oral, Rat F1

Reproductive toxicity - development Developmental toxicity: - NOAEL: >=1000 mg/kg/day, Oral, Rat

Specific target organ toxicity - single exposure

Permabond HM160

STOT - single exposure No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No specific test data are available.

Aspiration hazard

Aspiration hazard Not applicable.

METHACRYLIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,320.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 1,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 7.1

Species Rat

Skin corrosion/irritation

Animal data Dose: Method: OECD 404, 3 minutes, Rabbit Corrosive.

Serious eye damage/irritation

Serious eye damage/irritation Method: OECD 405, Rabbit Corrosive.

Respiratory sensitization

Respiratory sensitization Guinea pig: Not sensitizing. Method: various test systems

Skin sensitization

Skin sensitization Guinea pig maximization test (GPMT) - Guinea pig: Not sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity CMR: no

Reproductive toxicity

Reproductive toxicity - fertility No evidence of reproductive toxicity in animal studies.

Reproductive toxicity - development Non-teratogenic, not embryotoxic

Specific target organ toxicity - single exposure

Target organs Respiratory tract Irritating.

PermaBond HM160

Specific target organ toxicity - repeated exposure

Target organs No specific target organs known.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

CUMENE HYDROPEROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 328.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 1,200.0

Species Rat

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 1.37

Species Rat

Skin corrosion/irritation

Animal data Highly irritating.

Serious eye damage/irritation

Serious eye damage/irritation Irritating to eyes.

Skin sensitization

Skin sensitization Not sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitro Positive.

Genotoxicity - in vivo This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity CMR: No

Reproductive toxicity

Reproductive toxicity - fertility No specific test data are available.

Reproductive toxicity - development Developmental toxicity: - NOAEL: ≥100 mg/kg/day, Oral, Rat

Specific target organ toxicity - single exposure

STOT - single exposure No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Permabond HM160

Aspiration hazard

Aspiration hazard No specific test data are available.

12. Ecological information

Ecotoxicity May cause long lasting harmful effects to aquatic life.

Toxicity No data available.

Bioaccumulative potential

Partition coefficient Not available.

13. Disposal considerations

Waste treatment methods

General information Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

Disposal methods Dispose of according to Federal, State and local governmental regulations.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.

UN No. (DOT) Not applicable.

UN proper shipping name

Proper shipping name (International) Not applicable.

Proper shipping name (DOT) Not applicable.

Transport hazard class(es)

Transport Labels (International) No transport warning sign required.

DOT transport labels

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

DOT packing group Not applicable.

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

Not applicable.

DOT reportable quantity Not applicable.

DOT TIH Zone Not applicable.

Permabond HM160

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None above reporting levels

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

CUMENE HYDROPEROXIDE

Final CERCLA RQ: 10(4.54) pounds (Kilograms)

1,2-BENZISOTHIAZOL-3(2H)-ONE 1,1-DIOXIDE

Final CERCLA RQ: 100(45.4) pounds (Kilograms)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None above reporting limits

SARA 313 Emission Reporting

CUMENE HYDROPEROXIDE

1.0 %

1,2-BENZISOTHIAZOL-3(2H)-ONE 1,1-DIOXIDE

1.0 %

SARA (311/312) Hazard Categories

Acute
Chronic

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

This product contains a chemical known to the state of California to cause cancer.

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None above reporting limits

16. Other information

Classification abbreviations and acronyms
 Eye Irrit. = Eye irritation
 Skin Irrit. = Skin irritation
 Skin Sens. = Skin sensitisation

Revision date 5/25/2021

Revision 5

Supersedes date 10/1/2018

Permabond HM160

Hazard statements in full

H242 Heating may cause a fire.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.



This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.