Enriching lives through innovation

|--|

Versi 2.0		SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017			
			Print Date 10/24/2023			
SECT	TION 1. IDENTIFICATION					
Product name		: HARDENER HW	/ 5542 US			
r	Manufacturer or supplier's de	etails				
	Company name of supplier Address	<ul> <li>Huntsman Advanced Materials Americas LLC</li> <li>P.O. Box 4980</li> <li>The Woodlands,</li> <li>TX 77387</li> <li>United States of America (USA)</li> </ul>				
-	Telephone	: Non-Emergency: (800) 257-5547				
E	E-mail address	: Global_Product_	EHS_AdMat@huntsman.com			
E	Emergency telephone number	: Chemtrec: (800)	424-9300 or (703) 527-3887			

### Recommended use of the chemical and restrictions on use

Recommended use : Hardener

### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) Skin irritation : Category 2 Chamiaal

		Chemical <sup>®</sup>
Serious eye damage	: Category 1	Concepts
Reproductive toxicity	: Category 2	Our expertise is your solution.
Short-term (acute) aquatic hazard	: Category 1	chemical-concepts.com 800.220.1966
Long-term (chronic) aquatic hazard	: Category 2	410 Pike Road • Huntingdon Valley, PA 19006
GHS label elements Hazard pictograms		Res
Signal word	: Danger	
Hazard statements	H400 Very toxic to a	us eye damage. damaging fertility or the unborn child.



## HUNTSMAN

Enriching lives through innovation

		HAR	DENER	HW	5542	US
--	--	-----	-------	----	------	----

Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
Preca	autionary statements	P202 Do not ha and understood P264 Wash ski P273 Avoid rele P280 Wear pro face protection. <b>Response:</b> P302 + P352 IF P305 + P351 + water for sever and easy to do. CENTER/ doct P308 + P313 IF attention. P332 + P313 If attention. P362 Take off of P391 Collect sp <b>Storage:</b> P405 Store lock <b>Disposal:</b>	<ul> <li>ase to the environment.</li> <li>tective gloves/ protective clothing/ eye protection/</li> <li>F ON SKIN: Wash with plenty of soap and water.</li> <li>P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present</li> <li>Continue rinsing. Immediately call a POISON or.</li> <li>F exposed or concerned: Get medical advice/</li> <li>skin irritation occurs: Get medical advice/</li> <li>contaminated clothing and wash before reuse.</li> <li>pillage.</li> </ul>
0.1			

Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Substance / Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
1,1'-phenyliminodipropan-2-ol	3077-13-2	5 - 10
2-ethylhexane-1,3-diol	94-96-2	5 - 10
Terphenyl, hydrogenated	61788-32-7	1 - 5
cyclohex-1,2-ylenediamine	694-83-7	1 - 5
phenylmercury acetate	62-38-4	0.1 - 1
terphenyl	26140-60-3	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

### HARDENER HW 5542 US

Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
			Print Date 10/24/2023
SECTION	4. FIRST AID MEASU	RES	
General advice		Consult a pł Show this sa Treat sympt	afety data sheet to the doctor in attendance.
If inhaled		If inhaled, re	cian or poison control centre immediately. emove to fresh air. attention if symptoms occur.
In cas	se of skin contact	lf on skin, rii	on persists, call a physician. nse well with water. s, remove clothes.
In cas	se of eye contact	tissue dama In the case of water and Continue rin Remove cor Keep eye w	nts splashed into eyes can cause irreversible age and blindness. of contact with eyes, rinse immediately with plenty d seek medical advice. using eyes during transport to hospital. htact lenses. ide open while rinsing. on persists, consult a specialist.
lf swa	allowed	Keep respira Never give a If symptoms	iting immediately and call a physician. atory tract clear. anything by mouth to an unconscious person. persist, call a physician. immediately to hospital.
	important symptoms iffects, both acute and ed	: None knowr	۱.
Prote	ction of first-aiders	and use the If potential fr personal pro Avoid inhala No action sh suitable train It may be da	ponders should pay attention to self-protection recommended protective clothing or exposure exists refer to Section 8 for specific otective equipment. ation, ingestion and contact with skin and eyes. hall be taken involving any personal risk or without hing. angerous to the person providing aid to give both resuscitation.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)





Enriching lives through innovation

### HARDENER HW 5542 US

Versi 2.0	ion	Revision Date: 07/21/2023		OS Number: 0001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
				Dry chemical	Print Date 10/24/2023
	Unsuita media	ble extinguishing	:	-	when using a high volume water jet as it may d fire
	Specific hazards during firefighting		:	Do not allow run-off from fire fighting to enter drains or wa courses.	
	Hazard product	ous combustion s	:	No hazardous co	nbustion products are known
	Specific method	c extinguishing s	:	5 5	measures that are appropriate to local d the surrounding environment.
I	Further	information	:	must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
	Special for firefi	protective equipment ghters	:	Wear self-contain necessary.	ed breathing apparatus for firefighting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the

## HARDENER HW 5542 US

Version 2.0	Revision Date: 07/21/2023		DS Number: 00001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017			
			application area	Print Date 10/24/2023			
		application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and nationa regulations.					
Conditi	Conditions for safe storage		: Keep container tightly closed in a dry and well-ventilated				
				are opened must be carefully resealed and			
			kept upright to pro				
			Keep in properly	abelled containers.			
Materials to avoid		:	: For incompatible materials please refer to Section 10 of SDS.				
Recom temper	nmended storage rature	:	36 - 104 °F / 2 - 4	0 °C			
	r information on e stability	:	Stable under norr	nal conditions.			

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Terphenyl, hydrogenated	61788-32-7	TWA	TWA 0.5 ppm	
		TWA	0.5 ppm 5 mg/m3	NIOSH REL
		TWA	0.5 ppm 5 mg/m3	OSHA P0
phenylmercury acetate	62-38-4	TWA	0.1 mg/m3 (Mercury)	ACGIH
		TWA (Vapour)	0.05 mg/m3 (Mercury)	NIOSH REL
		C	0.1 mg/m3 (Mercury)	NIOSH REL
		С	0.1 mg/m3 (Mercury)	OSHA P0
terphenyl	26140-60-3	С	1 ppm 9 mg/m3	OSHA Z-1
		С	5 mg/m3	ACGIH
		С	0.5 ppm 5 mg/m3	OSHA P0

### Personal protective equipment

Respiratory protection

: WARNING! This product contains quartz, which has been classified by IARC as carcinogenic for humans (Group 1), and which can cause silicosis and lung cancer following exposure to respirable dust. It is therefore important to take particular care to avoid inhalation exposure when



HARDENER HW 5542 US

### HUNTSMAN

Enriching lives through innovation

Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017		
		mechanically   sanding, sawii	Print Date 10/24/2023 processing cured material (e.g. grinding, ng).		
Hand	protection				
Rema	arks	approved stan chemical prod necessary. The suitability	stant, impervious gloves complying with an idard should be worn at all times when handling ucts if a risk assessment indicates this is for a specific workplace should be discussed icers of the protective gloves.		
Eye p	protection	Tightly fitting s	le with pure water safety goggles eld and protective suit for abnormal processing		
Skin	and body protection	-	othing protection according to the amount and of the dangerous substance at the work place.		
Hygie	ene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: red
Odour	: mild
Odour Threshold	: No data is available on the product itself.
рН	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flash point	: 205 °F / 96 °C Method: Pensky-Martens closed cup, closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower	: No data is available on the product itself.

### HUNTSMAN

Enriching lives through innovation

Version 2.0	Revision Date: 07/21/2023		S Number: 001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
flamr	nability limit			Print Date 10/24/2023
Vapo	our pressure	:	4.9321 hPa (203	°F / 95 °C)
Rela	tive vapour density	:	No data is availa	ble on the product itself.
Rela	tive density	:	1.3 - 1.4	
Dens	sity	:	No data is availa	ble on the product itself.
	bility(ies) ater solubility	:	slightly soluble	
Sc	olubility in other solvents	:	No data is availa	ble on the product itself.
	tion coefficient: n- nol/water	:	No data is availa	ble on the product itself.
	-ignition temperature	:	No data is availa	ble on the product itself.
Deco	omposition temperature	:	No data is availa	ble on the product itself.
	Accelerating mposition temperature DT)	: No data is available on the product itself.		ble on the product itself.
Visco	osity	:	No data is availa	ble on the product itself.
Explo	osive properties	:	No data is availa	ble on the product itself.
Oxid	izing properties	:	No data is availa	ble on the product itself.
Parti	cle size	:	No data is availa	ble on the product itself.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No hazards to be specially mentioned.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SDS\_US-AM - EN - 400001012616

Version

### HARDENER HW 5542 US

Revision Date:

SDS Number:

ersion .0	Revision Date: 07/21/2023		S Number: )001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
				Print Date 10/24/2023
ECTION	11. TOXICOLOGICA		RMATION	
Acute	e toxicity			
Produ	uct:			
	oral toxicity	:	Acute toxicity e Method: Calcul	stimate: 4,305 mg/kg ation method
Acute	e dermal toxicity	:	Acute toxicity e Method: Calcul	stimate: > 5,000 mg/kg ation method
Com	<u>oonents:</u>			
1.1'-p	henyliminodipropar	n-2-ol:		
•	oral toxicity		LD50 (Rat): 3,8 Assessment: T toxicity	300 mg/kg he substance or mixture has no acute oral
Acute	e dermal toxicity	:	LD50 (Rabbit): Assessment: T toxicity	> 2,000 mg/kg he substance or mixture has no acute dermal
2-eth	ylhexane-1,3-diol:			
	oral toxicity	:		le and female): > 2,000 mg/kg he substance or mixture has no acute oral
Acute	inhalation toxicity	:	LC50 (Rat): > 3 Exposure time: Test atmosphe Assessment: T inhalation toxic	4 h re: vapour he substance or mixture has no acute
Acute	e dermal toxicity	:	LD50 (Rabbit, I	male and female): 8,960 - 10,521 mg/kg
Terpł	nenyl, hydrogenated	•		
-	oral toxicity			le and female): > 10,000 mg/kg 9 Test Guideline 401
Acute	inhalation toxicity	:	<ul> <li>LC50 (Rat, male and female): &gt; 4.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acut inhalation toxicity</li> </ul>	
Acute	e dermal toxicity	:	Method: OECD GLP: no	male and female): > 2,000 mg/kg 9 Test Guideline 402 he substance or mixture has no acute dermal



Enriching lives through innovation

Date of last issue: 01/17/2022

### HUNTSMAN

Enriching lives through innovation

HARDE	ENER HW 5542	US			
Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017		
cyclo	hex-1,2-ylenediamir	ne:	Print Date 10/24/20	23	
Acute	e oral toxicity	Method: OECI GLP: no	ale and female): 1,170 mg/kg D Test Guideline 401 Fhe component/mixture is moderately toxic afte n.	r	
Acute	e dermal toxicity	Method: OECI GLP: no Assessment: <sup>-</sup>	<ul> <li>LD50 (Rat, male and female): 1,870 mg/kg Method: OECD Test Guideline 402 GLP: no Assessment: The component/mixture is moderately toxic aft single contact with skin.</li> </ul>		

Acute oral toxicity	:	LD50 Oral (Rat): 41 mg/kg
		Assessment: The component/mixture is highly toxic after single ingestion.

#### terphenyl:

Acute oral toxicity	:	LD50 (Rat, male and female): 2,604 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 3.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

GLP: yes

#### Skin corrosion/irritation

#### **Components:**

#### 1,1'-phenyliminodipropan-2-ol:

Result	:	Mild skin irritation

#### 2-ethylhexane-1,3-diol:

Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	Normally reversible injuries

#### Terphenyl, hydrogenated:

:	Rabbit
:	24 h
:	Other guidelines
:	No skin irritation
	:

#### cyclohex-1,2-ylenediamine:



Enriching lives through innovation

Print Date 10/24/2023

SAFET	Y DATA SHEET				HUNTS
					Enriching lives three
HARD	ENER HW 5542	2 US			
Version 2.0	Revision Date: 07/21/2023		Number: 01012616		ue: 01/17/2022 ue: 08/02/2017
Spec Asse Meth Resu GLP	essment Iod Ilt	: C : O			Print Dat
pher	nylmercury acetate:				
Spec Resu			uman auses burns.		
terpl	henyl:				
Spec	cies essment od ult	: N : O : N	abbit o skin irritation ECD Test Gui o skin irritation es	deline 404	
Serie	ous eye damage/eye	irritation			
<u>Com</u>	ponents:				
	phenyliminodipropar				
Resu	llt	: R	isk of serious (	damage to eyes.	
2-eth	ylhexane-1,3-diol:				
Spec	-	: R	abbit		
Resu	ılt	: R	isk of serious of	damage to eyes.	
Terp	henyl, hydrogenated	l:			
Spec			abbit		
Resu			o eye irritation		
Meth GLP		: D	raize Test		
cycle	ohex-1,2-ylenediamir	ne:			
Spec			abbit		
Resu	uit essment			damage to eyes. damage to eyes.	
GLP		: n		damage to eyes.	
-	nylmercury acetate:	-	-1.1.9		
Spec Resu			abbit orrosive		
-	henyl:	-	-1.1.1		
Spec Resu			abbit o eye irritation		
	essment		o eye irritation		
Moth			ECD Test Gui		

: OECD Test Guideline 405

: yes

Assessment Method

GLP

HUNTSMAN

_	Enriching lives through innovation								
HAI	RDE	NER HW 5542 U	JS						
Versi 2.0				S Number: 0001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017				
	Posnir	atory or skin sensitis	atio	•	Print Date 10/24/2023				
			anoi	1					
-		onents:							
 : 	-		: Skin : Humans : Patch Test 24 Hrs. : Does not cause skin sensitisation.						
,	Assess	ment	:	Does not cause	skin sensitisation.				
(	Germ o	ell mutagenicity							
9	Compo	onents:							
-	Terphe	nyl, hydrogenated:							
(	Genoto	xicity in vitro	:	Metabolic activation Method: OECD Te Result: negative	on: with and without metabolic activation est Guideline 482				
				Test Type: Ames Metabolic activatio Result: negative	test on: with and without metabolic activation				
					on: with and without metabolic activation ammalian cell gene mutation test				
(	Genoto	xicity in vivo	:	Species: Rat Cell type: Bone m Dose: 250, 1250, Method: OECD Te Result: negative	2500 mg/kg bw				
	cycloh	ex-1,2-ylenediamine:							
	•	xicity in vitro	:	Test system: Hum	on: with and without metabolic activation				
					nonella tryphimurium and E. coli on: with and without metabolic activation				
					se lymphoma cells on: with and without metabolic activation				

# HUNTSMAN

### HARDENER HW 5542 US

rsion	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017				
			Print Date 10/24/202				
terph	enyl:						
Genotoxicity in vitro		Test system: Sa Metabolic active	erse mutation assay almonella typhimurium ation: Metabolic activation Test Guideline 471				
		Metabolic activa	hinese hamster ovary cells ation: with and without metabolic activation Test Guideline 476				
		Test system: C Metabolic active	omosome aberration test in vitro hinese hamster ovary cells ation: with and without metabolic activation Test Guideline 473 e				
Geno	toxicity in vivo	Cell type: Bone Application Rou Exposure time: Dose: 0, 500, 2	nale and female) marrow ute: Intraperitoneal injection 6-24 h 500, 5000 mg/kg bw Test Guideline 475				
Carci	nogenicity						
IARC	Group 2B: phenylmer	Possibly carcinogenic t cury acetate rcury compounds)	o humans 62-38-4				
OSH/		No component of this product present at levels greater than or equal to 0.1% on OSHA's list of regulated carcinogens.					
NTP		nent of this product preases a known or anticipate	sent at levels greater than or equal to 0.1% is ed carcinogen by NTP.				
Repro	oductive toxicity						
<u>Comp</u>	oonents:						
2-eth	ylhexane-1,3-diol:						
	s on foetal opment	: Species: Rat, fe Application Rou General Toxicit Result: No tera	ute: Oral y Maternal: NOAEL: 1,000 mg/kg body weigh				
		Species: Bat fr	amela				

Species: Rat, female

HUNTSMAN

#### **HARDENER HW 5542 US** Version Revision Date: SDS Number: Date of last issue: 01/17/2022 400001012616 2.0 07/21/2023 Date of first issue: 08/02/2017 Print Date 10/24/2023 **Application Route: Dermal** General Toxicity Maternal: NOAEL: 1,884 mg/kg body weight **Result: Teratogenic effects** Terphenyl, hydrogenated: Effects on fertility Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEL: 1,000 ppm General Toxicity F1: NOAEL: 1,000 ppm Method: OECD Test Guideline 416 Result: Animal testing did not show any effects on fertility. GLP: yes Effects on foetal Species: Rat, female **Application Route: Oral** development Dose: 125, 500, 1500 mg/kg bw/d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 125 mg/kg body weight Embryo-foetal toxicity: NOAEL: 500 mg/kg body weight Method: OECD Test Guideline 414 GLP: yes Reproductive toxicity -: No evidence of adverse effects on sexual function and fertility, Assessment or on development, based on animal experiments. cyclohex-1,2-ylenediamine: Test Type: Pre-natal Effects on foetal Species: Rat, females development Application Route: Oral Dose: 0/50/150/500 mg/kg bw/d Duration of Single Treatment: 15 d Frequency of Treatment: 7 days/week General Toxicity Maternal: NOAEL: 150 mg/kg body weight Developmental Toxicity: NOAEL: 150 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects GLP: yes Remarks: Information given is based on data obtained from similar substances. Some evidence of adverse effects on sexual function and Reproductive toxicity -Assessment fertility, and/or on development, based on animal experiments., Suspected of damaging fertility or the unborn child. STOT - single exposure **Components:** cyclohex-1,2-ylenediamine: Exposure routes Inhalation Target Organs Upper respiratory tract ÷

May cause respiratory irritation.

Assessment



			Enriching lives through innovation
HAR	DENER HW 5542 U	JS	
Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
			Print Date 10/24/2023
ST	OT - repeated exposure		
<u>Co</u>	mponents:		
ph	enylmercury acetate:		
As	sessment	: Causes damag exposure.	e to organs through prolonged or repeated
Re	peated dose toxicity		
Co	mponents:		
	thylhexane-1,3-diol:		
	ecies	: Rat, male and f	emale
LÒ	AEL	: 100 mg/kg	
	plication Route	: Ingestion	
	posure time mber of exposures	: 696 h : 5 d	
	thod	: Subacute toxici	ty
Sn	ecies	: Rat	
	DAEL	: 480 mg/kg	
	plication Route	: Ingestion	
	posure time	: 2,160 h	
IVIE	ethod	: Subchronic tox	Сіту
	ecies	: Rat, male and f	emale
-	DAEL	: 3768 mg/kg	
	plication Route posure time	: Skin contact : 13 Weeks	
	mber of exposures	: 5 d	
Me	ethod	: Subchronic tox	city
Те	rphenyl, hydrogenated:		
	ecies	: Rat, male and f	emale
	DAEL DAEL	: 12 mg/kg : 120 mg/kg	
-	plication Route	: oral (feed)	
	posure time	: 14 weeks	
	mber of exposures ethod	: 7 days/week : OECD Test Gu	idalina 409
IVIE		. OECD Test Gu	
	ecies	: Rat, male and f	emale
	DAEL DAEL	: 0.1 mg/l : 0.5 mg/l	
	plication Route	: Inhalation	
Ex	posure time	: 90 days	
	mber of exposures		days/week (67 n
Do Me	se ethod	: 0, 10, 100, 500 : OECD Test Gu	
Sn	ecies	: Rabbit, male ar	nd female
	DAEL	: 2,000 mg/kg	
	plication Route	: Dermal	
Ex	posure time	: 21 days	

### HARDENER HW 5542 US

ΠΑΚυ	ENER HW 5542	03	
Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
Number of exposures Dose Method Target Organs Repeated dose toxicity - Assessment		: 6 hours/day, 5 : 125, 500, 200 : Subacute toxi : Skin : No adverse tests.	0 mg/kg bw/d
Spe NOA App Exp Num Dos Mett GLF Spe NOA App Exp	AEL lication Route osure time her of exposures e hod cies AEL lication Route osure time her of exposures e	e: : Rat, male and : 150 mg/kg : Oral : 90 d : 7 days/week : 0/50/150/500 : OECD Test G : yes : Rat, male : 50 mg/kg : Oral : 90 d : 7 days/week : 0/50/150/500 : OECD Test G	mg/kg bw/d suideline 408 mg/kg bw/d
No c Exp No c	<b>iration toxicity</b> data available <b>erience with human e</b> a data available		
No c <b>Neu</b>	<b>icology, Metabolism, I</b> lata available <b>rological effects</b> lata available	JISTIBUTION	
	her information lata available		
SECTIO	N 12. ECOLOGICAL IN	FORMATION	
	toxicity		
	nponents:		
2-et	hylhexane-1,3-diol:		
Toxi	city to fish	: LC50 (Ictaluru Exposure time Test Type: sta	



### HUNTSMAN

Enriching lives through innovation

### HARDENER HW 5542 US

Version 2.0	Revision Date: 07/21/2023		9S Number: 0001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
				Print Date 10/24/2023
			Method: OECD T GLP: yes	Fest Guideline 202
Toxicity plants	v to algae/aquatic	:	Exposure time: 7 Test Type: static	
			Exposure time: 7 Test Type: static	
Terphe	nyl, hydrogenated:			
Toxicity		:	LC50 : > 100 mg Exposure time: 9	
Toxicity plants	to algae/aquatic	:	Exposure time: 9	rchneriella subcapitata (green algae)): 56 mg/l l6 h Fest Guideline 201
aquatic	to daphnia and other invertebrates c toxicity)	:	Exposure time: 2 Test Type: semi-	
Toxicity	to microorganisms	:	Exposure time: 3 Test Type: static	
Ecotor	icology Assessment			
	equatic toxicity	:	This product has	no known ecotoxicological effects.
Chronic	aquatic toxicity	:	May cause long	lasting harmful effects to aquatic life.
cycloh	ex-1,2-ylenediamine:			
Toxicity		:	End point: morta Exposure time: 9 Test Type: static Test substance: Method: OECD T GLP: no	6 h test Fresh water Fest Guideline 203 ation given is based on data obtained from
Toxicity plants	to algae/aquatic	:	EC50 (Pseudoki Exposure time: 7 Test Type: static	

### HUNTSMAN

				Enriching lives through innovation
HA	RDENER HW 5542 U	JS		
Vers 2.0	on Revision Date: 07/21/2023		OS Number: 0001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
				Print Date 10/24/2023
			Analytical monito Test substance: I Method: OECD T GLP: yes	
			Exposure time: 7 Test Type: static Analytical monito Test substance: I	test ring: yes
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Exposure time: 2 Test Type: semi- Analytical monito Test substance: I	static test ring: yes
	Toxicity to microorganisms	:	Exposure time: 2 Test Type: static Analytical monito Test substance: I GLP: no	test ring: no Fresh water ation given is based on data obtained from
	phenylmercury acetate:			
	Toxicity to fish	:	LC50 (Oncorhynd Exposure time: 9	chus mykiss (rainbow trout)): 0.009 mg/l 6 h
	Toxicity to algae/aquatic plants	:	EC50: 0.006 mg/ Exposure time: 2	
	M-Factor (Acute aquatic toxicity)	:	100	
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.0019 - 0.0032 mg/l 1 d

M-Factor (Chronic aquatic : 10 toxicity)

### terphenyl:

End point: mortality Exposure time: 96 h Test Type: static test Test substance: Fresh water GLP: yes	Toxicity to fish
--	------------------

### HUNTSMAN

Enriching lives through innovation

### HARDENER HW 5542 US

ersion 0	Revision Date: 07/21/2023		2S Number: 0001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
			NOEC (Oncorhyn End point: mortali Exposure time: 96 Test Type: static t Test substance: F GLP: yes	h est
	to daphnia and other invertebrates	:	EC50 (Daphnia m End point: Immob Exposure time: 48 Test Type: static t Test substance: F Method: OECD To GLP: yes	h est resh water
M-Facto toxicity)	or (Acute aquatic	:	10	
Toxicity toxicity)	to fish (Chronic	:	(Pimephales pror End point: mortali Exposure time: 34 Test Type: flow-th Test substance: F GLP: yes	d rough test
aquatic	to daphnia and other invertebrates c toxicity)	:	(Daphnia magna Exposure time: 21 Test Type: flow-th Analytical monitor Test substance: F GLP: yes	rough test ing: yes
M-Facto toxicity)	or (Chronic aquatic	:	10	
Ecotox	icology Assessment			
Acute a	quatic toxicity	:	Very toxic to aqua	tic life.
Chronic	aquatic toxicity	:	Very toxic to aqua	tic life with long lasting effects.
Persist	ence and degradabili	ity		
<u>Compo</u>	nents:			
-	hexane-1,3-diol: adability	:	aerobic Inoculum: Mixture Concentration: 31 Result: Readily bi Biodegradation: 5 Exposure time: 28 Method: OECD To GLP: yes	odegradable. 13 %

### cyclohex-1,2-ylenediamine:

### HUNTSMAN

Enriching lives through innovation

### HARDENER HW 5542 US

ersion )	Revision Date: 07/21/2023		OS Number: 0001012616	Date of last issue: 01, Date of first issue: 08	
Biode	gradability	:	aerobic Inoculum: Sewag Concentration: 1. Result: Readily bi Biodegradation: Exposure time: 28 Method: OECD T Test substance: F GLP: yes	13 mg/l odegradable. 100 % 3 d est Guideline 301D	Print Date 10/24/2023
Stabil	ity in water	:	Method: No inforr GLP: No informat Remarks: see use		
Photo	odegradation	:	Rate constant: < GLP: no	001	
<b>terph</b> Biode	<b>enyl:</b> gradability	:	Result: Not biode	gradable	
Bioad	cumulative potential				
<u>Com</u>	oonents:				
Partiti	nenyl, hydrogenated: ion coefficient: n- ol/water	:	log Pow: 6.5		
Partiti	hex-1,2-ylenediamine: ion coefficient: n- ol/water	:	log Pow: < -0.9 (6 pH: 7 Method: OECD T GLP: yes	8°F / 20 °C) est Guideline 107	
			log Pow: < -0.02 pH: 12 Method: OECD T GLP: yes	(68 °F / 20 °C) est Guideline 107	
	ylmercury acetate:	:	Bioconcentration	factor (BCF): 100	
	l <b>ity in soil</b> ata available				
Other	r adverse effects				
<u>Produ</u> Ozon	<u>uct:</u> e-Depletion Potential	:	Protection of Stra Substances Remarks: This pr manufactured wit	FR Protection of Enviro tospheric Ozone - CAA oduct neither contains, h a Class I or Class II ( t Section 602 (40 CFR	A Section 602 Class I nor was DDS as defined by the

HUNTSMAN

### **HARDENER HW 5542 US**

Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
		В).	Print Date 10/24/2023
Additional ecological : information		unprofessional Very toxic to ac Very toxic to ac	tal hazard cannot be excluded in the event of handling or disposal. quatic life. quatic life with long lasting effects. c life with long lasting effects.

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (phenyl mercuric acetate, Terphenyl)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(phenyl mercuric acetate, Terphenyl)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

#### 49 CFR



Enriching lives through innovation

### HARDENER HW 5542 US

Version 2.0	Revision Date: 07/21/2023		DS Number: 00001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
				Print Date 10/24/2023
UN/I	D/NA number	:	UN 3082	
Proper shipping name :		Environmentally hazardous substance, liquid, n.o.s. (phenyl mercuric acetate, Terphenyl)		
Class	6	:	9	
Pack	ing group	:	III	
Labe	ls	:	CLASS 9	
ERG	Code	:	171	
Marir	ne pollutant	:	yes	
Rema	arks	:	may be shipped	und under DOT is non-regulated; however it per the applicable hazard classification to odal transport involving ICAO (IATA) or IMO.

#### Special precautions for user

Remarks

: Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO. 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
phenylmercury acetate	62-38-4	100	11111
SARA 311/312 Hazards : Skin corrosion or irritation Serious eye damage or eye irritation			

SARA 313: This material does not contain any chemical components with<br/>known CAS numbers that exceed the threshold (De Minimis)<br/>reporting levels established by SARA Title III, Section 313.

Reproductive toxicity

The following chemical(s), >= 0.1%, are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

phenylmercury acetate 62-38-4

### California Prop. 65

WARNING: This product can expose you to chemicals including phenylmercury acetate, 4-vinylcyclohexene, buta-1,3-diene, which is/are known to the State of California to cause cancer, and

phenylmercury acetate, 4-vinylcyclohexene, toluene, buta-1,3-diene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

### HUNTSMAN

Enriching lives through innovation

### HARDENER HW 5542 US

Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017
DSL		: All components c	Print Date 10/24/2023 If this product are on the Canadian DSL
AIIC		: Not in compliance	e with the inventory
ENCS		: Not in compliance	e with the inventory
KECI		: Not in compliance	e with the inventory
PICCS	3	: Not in compliance	e with the inventory
IECSC	;	: On the inventory,	or in compliance with the inventory
TCSI		: Not in compliance	e with the inventory
TSCA		: All substances lis	ted as active on the TSCA inventory

### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)


### TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

# US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**



### HUNTSMAN

Enriching lives through innovation

### HARDENER HW 5542 US

Version 2.0	Revision Date: 07/21/2023	SDS Number: 400001012616	Date of last issue: 01/17/2022 Date of first issue: 08/02/2017			
			Print Date 10/24/2023			
OSHA	N P0	<ul> <li>USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)</li> </ul>				
OSHA Z-1		: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants				
ACGIH / TWA		: 8-hour, time-weighted average				
ACGI	H/C	: Ceiling limit				
NIOSI	H REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek				
NIOSH REL / C		: Ceiling value not be exceeded at any time.				
OSHA	NP0/TWA	: 8-hour time w	eighted average			
OSHA	N P0 / C	: Ceiling limit				
OSHA	Z-1 / C	: Ceiling				

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

