



	1. Identification		
Product identifier	KE-3497-T		
Other means of identification			
Sales Code	8667S0		
Recommended use	RTV rubbers RTV rubber for electrical, electronic and g	general industry (gluing and sealing)	
Recommended restrictions	Industrial use only.		
Manufacturer/Importer/Supplier/	Distributor information		
Name Address Contact Telephone Number Fax Number Emergency Phone Number	Shin-Etsu Silicones of America, Inc. 1150 Damar Drive, Akron, OH 44305 USA Regulation compliance group +1-330-630-9860 +1-330-630-9855 Chemtrec: +1-800-424-9300 (Within US) Chemtrec: +1-703-527-3887 (Outside US)		
	2. Hazard(s) identification	on	
Physical hazards	Flammable liquids	Catagony 2	
Health hazards	Skin corrosion/irritation	Category 2 Chemica	
	Serious eye damage/eye irritation	Category 2A Concepts	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2 Our expertise is your solution	
	Hazardous to the aquatic environment, long-term hazard	Category 2 chemical-concepts.cor 800.220.1966	
Label elements			
Signal word	Danger		
Hazard statement	Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid release to the environment.		
Response	In case of fire: Use water fog, foam, dry chemical powder or carbon dioxide(CO2) to extinguish. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage. Take off contaminated clothing and wash it before reuse.		
Storage	Store in a well-ventilated place. Keep cool.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alkenoxysilane*		Proprietary*	5 - < 10
Alkoxysilane*		Proprietary*	< 1
Organosilane*		Proprietary*	< 1
Decomposition			
Chemical name		CAS number	%
Acetone		67-64-1	

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

	4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.	
Eye contact	Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention immediately.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
	5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	By heating and fire, harmful vapors/gases may be formed. Nitrogen oxides. (corrosive)	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.	
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.	
General fire hazards	Highly flammable liquid and vapor.	
	6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material. Ventilate closed spaces before entering them. Wear appropriate personal protective equipment.	

Methods and materials for containment and cleaning up		ition sources (no sr od, paper, oil, etc.) a		parks or flames in immediate area). Keep I material.
	spreading. Use a r	non-combustible ma	aterial like vermic	ssible. Cover with plastic sheet to prevent culite, sand or earth to soak up the product ntry into waterways, sewer, basements or
	Small Spills: Clear	surface thoroughly	/ to remove resid	lual contamination.
	Never return spills	in original containe	ers for re-use.	
Environmental precautions	Prevent further lea	kage or spillage if s	safe to do so. Ave	oid release to the environment.
-	7.	Handling and	storage	
Precautions for safe handling	explosion-proof ec ventilation. Use care in handli sources of ignition precautionary mea Wash hands thoro	uipment. Vapors m ng/storage. Do not . Protect material fr sures against statio ughly after handling	ay form explosive handle, store or o om direct sunligh c discharges. Use g. Avoid release t	e grounded. Use non-sparking tools and e mixtures with air. Provide adequate open near an open flame, sources of heat or it. When using do not smoke. Take e personal protective equipment as required. to the environment. Do not empty into drains . Avoid contact with eyes. Avoid prolonged
Conditions for safe storage, including any incompatibilities	Keep container tig	Keep away from heat, sparks and open flame. Store in cool place. Store in a well-ventilated place. Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight. Keep in original container.		
	8. Exposur	e controls/pers	sonal protect	ion
Occupational exposure limits				
US. OSHA Table Z-1 Limits Decomposition	for Air Contaminants (29 CFR 1910.1000) Type Value		alue	
Acetone (CAS 67-64-1)	PEL 2400 mg/m3 1000 ppm			
US. ACGIH Threshold Limi		_	N.	- L
Decomposition	Тур			alue
Acetone (CAS 67-64-1)		STEL 750 ppm TWA 500 ppm		
US. NIOSH: Pocket Guide	to Chemical Hazards	;		
Decomposition	Тур	e	Va	alue
Acetone (CAS 67-64-1)	TWA 590 mg/m3 250 ppm			
Biological limit values				
ACGIH Biological Exposur Decomposition	e Indices Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*
* - For sampling details, plea	0	cument.		
Appropriate engineering controls	Explosion-proof ge	eneral and local exh entilation such as lo		Provide eyewash station. hanical and/or door open for at least 24
Individual protection measures Eye/face protection		protective equipmont of the section of the section		
Skin protection Hand protection	Wear protective gl	oves.		

When using, do not eat, drink or smoke. Avoid contact with skin. Avoid contact with eyes. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance		
Form	Paste.	
Color	Milk-white Translucent.	
Odor	Acetone odor	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not applicable	
Initial boiling point and boiling range	Not applicable	
Flash point	59 °F (15 °C) Closed Cup (Does not sustain combustion)	
Evaporation rate	< 1 (Butyl Acetate=1)	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	2.1 % v/v [Acetone]	
Flammability limit - upper (%)	13.0 % v/v [Acetone]	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Negligible (25 °C)	
Vapor density	> 1 (air=1)	
Relative density	1.08 (25 °C)	
Solubility(ies)		
Solubility (water)	Not soluble	
Partition coefficient (n-octanol/water)	Not applicable	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	30 Pa·s(25 °C)	
Other information		
Molecular weight	Not applicable	
	10. Stability and reactivity	
Reactivity	No hazardous reaction known under normal conditions of use, storage and transport.	
Chemical stability	Stable at normal conditions.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	None known.	
Incompatible materials	Strong oxidizing agents. Water, moisture.	
Hazardous decomposition products	This product reacts with water, moisture or humid air to evolve following compounds: Acetone. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Nitrogen oxides. Formaldehyde.	
	11. Toxicological information	
Information on likely routes of e		

Ingestion

Expected to be a low ingestion hazard.

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
Alkenoxysilane (CAS Proprietary)			
Acute			
Inhalation			
LC50	Rat	> 5.83 mg/l	
Oral			
LD50	Rat	> 5000 mg/kg	
Subacute			
Inhalation			
NOEL	Rat	0.31 mg/l, 28 days	
Alkoxysilane (CAS Proprietary)			
Acute			
Dermal			
LD50	Rabbit	4290 mg/kg	
Oral			
LD50	Rat	1570 - 3650 mg/kg	
		1780 mg/kg	
Organosilane (CAS Proprietary)			
Acute			
Oral			
LD50	Rat	3.67 ml/kg	
Decomposition	Species	Test Results	
Acetone (CAS 67-64-1)			
Acute			
Inhalation			
LC50	Rat	50.1 mg/l, 8 Hours	
Oral			
LD50	Mouse	3000 mg/kg	
	Rabbit	5340 mg/kg	
	Rat	5800 mg/kg	
Skin corrosion/irritation	SKIN-RABBIT : 5mg/24Hr SEVERE [Alkoxysilane] Causes visible necrosis of the skin tissue (Rabbit/6 SKIN-RABBIT : MILD(P.I.I=0.2) [Alkenoxysilane]	0 Minutes) [Organosilane]	
Serious eye damage/eye irritation	EYE-RABBIT : 0.75mg/24Hr SEVERE [Alkoxysilan Causes serious eye damage. [Organosilane] EYE-RABBIT :Minimal irritant [Alkenoxysilane] Causes serious eye irritation. [Acetone] [Acetone]	e]	
Respiratory or skin sensitization	1		
Respiratory sensitization	Not available.		
Skin sensitization	May cause an allergic skin reaction. [Alkoxysilane] No skin sensitizing(guinea pigs) [Alkenoxysilane]		
Germ cell mutagenicity	Negative(Bacteria), Negative(Chromosome analysis) [Alkenoxysilane] Negative(Ames Test) [Alkoxysilane]		
Carcinogenicity	This product is not considered to be a carcinogen b	y IARC, ACGIH, NTP, or OSHA.	

Material name: KE-3497-T

OSHA Specifically Regulate Not listed.	d Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	Not available.
Specific target organ toxicity - single exposure	May cause damage to the following organs. Narcotic effects. [Acetone]
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
Further information	This product reacts with water , moisture or humid air to evolve following compounds: Acetone

12. Ecological information

Ecotoxicity	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. [Alkenoxysilane]		
Components		Species	Test Results
Alkenoxysilane (CAS Propri	etary)		
Aquatic			
Crustacea	LC50	Daphnia	12.7 mg/l, 48 hr
Fish	LC50	Carp	18 mg/l, 96 hr
Alkoxysilane (CAS Proprieta	iry)		
Aquatic			
Fish	LC50	Oryzias latipes	> 1000 mg/l, 48 hr
Decomposition		Species	Test Results
Acetone (CAS 67-64-1)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Persistence and degradability	Causes easily	hydrolysis in water or atmosphere. [Alkox	ysilane]
Bioaccumulative potential	Not available.		
lobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal considerations

Disposal instructions

Follow applicable Federal, State and Local regulations.

14. Transport information

DOT	
UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (Alkenoxysilane)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	II
Environmental hazards	
Marine pollutant	Appreciable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP1, TP8, TP28
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1993
UN proper shipping name	Flammable liquid, n.o.s. (Alkenoxysilane)

Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	Ш
Environmental hazards	No.
ERG Code	3H
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
IMDG	
UN number	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Alkenoxysilane)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	Ш
Environmental hazards	No.
Marine pollutant	Yes F-E, S-E*
EmS Special processitions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	This product is not intended to be transported in bulk.
Annex II of MARPOL 73/78 and the IBC Code	
DOT	
FLAMMABLE 3 IATA; IMDG	
3	
Marine pollutant	

General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 313 (TRI reporting)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

- US. New Jersey Worker and Community Right-to-Know Act Not listed.
- US. Pennsylvania Worker and Community Right-to-Know Law Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision	
Issue date	04-06-2015
Version #	01
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
NFPA ratings	2 0

Disclaimer

This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of this product for their use. Users must never use this product for the purpose of implantation into the human body and/or injection into humans.

Revision Information

Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Additional Components Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Transport Information: Hazreg Values Transportation Regulatory Information: Regulatory Information HazReg Data: Transportation GHS: Classification

