

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

SECTION 1. IDENTIFICATION

Product name : ARALDITE® 2035 A US

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : Non-Emergency: (800) 257-5547
E-mail address : Global_Product_EHS_AdMat@huntsman.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Epoxy constituents

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitisation : Category 1
Germ cell mutagenicity : Category 2
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Gastrointestinal tract, female reproductive organs, Stomach)
Short-term (acute) aquatic hazard : Category 2
Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H341 Suspected of causing genetic defects.
 H373 May cause damage to organs (Gastrointestinal tract, female reproductive organs, Stomach) through prolonged or repeated exposure if swallowed.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe mist or vapours.
 P264 Wash skin thoroughly after handling.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P362 Take off contaminated clothing and wash before reuse.
 P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]	28768-32-3	30 - 50
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	20 - 30
p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline	5026-74-4	10 - 20

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4	10 - 20
Glass, oxide, chemicals	65997-17-3	0.1 - 1
titanium dioxide	13463-67-7	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Treat symptomatically.
 Get medical attention if symptoms occur.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.
 If on skin, rinse well with water.
 If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.
 Keep eye wide open while rinsing.
 If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
 Keep respiratory tract clear.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
 Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
 If potential for exposure exists refer to Section 8 for specific personal protective equipment.
 Avoid inhalation, ingestion and contact with skin and eyes.
 No action shall be taken involving any personal risk or without suitable training.
 It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Halogenated compounds
Carbon dioxide (CO₂)
Carbon monoxide
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
 Do not breathe vapours/dust.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 For personal protection see section 8.
 Smoking, eating and drinking should be prohibited in the application area.
 Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Recommended storage temperature : 36 - 46 °F / 2 - 8 °C
- Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (Total dust)	10 mg/m ³	OSHA P0
		TWA (Respirable particulate matter)	0.2 mg/m ³ (Titanium dioxide)	ACGIH
		TWA (Respirable particulate matter)	2.5 mg/m ³ (Titanium dioxide)	ACGIH

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste
Colour	: off-white
Odour	: No data is available on the product itself.
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flash point	: > 300 °F / > 149 °C
Evaporation rate	: No data is available on the product itself.

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Flammability (solid, gas)	:	No data is available on the product itself.
Flammability (liquids)	:	No data is available on the product itself.
Upper explosion limit / Upper flammability limit	:	No data is available on the product itself.
Lower explosion limit / Lower flammability limit	:	No data is available on the product itself.
Vapour pressure	:	No data is available on the product itself.
Relative vapour density	:	No data is available on the product itself.
Relative density	:	No data is available on the product itself.
Density	:	1.12 - 1.2 g/cm ³
Solubility(ies)		
Water solubility	:	No data is available on the product itself.
Solubility in other solvents	:	No data is available on the product itself.
Partition coefficient: n-octanol/water	:	No data is available on the product itself.
Auto-ignition temperature	:	No data is available on the product itself.
Decomposition temperature	:	No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	:	No data is available on the product itself.
Viscosity	:	No data is available on the product itself.
Explosive properties	:	No data is available on the product itself.
Oxidizing properties	:	No data is available on the product itself.
Particle size	:	No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No hazards to be specially mentioned.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Hazardous decomposition products : Nitrogen oxides (NOx)
carbon dioxide
carbon monoxide
Halogenated compounds

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity : LC50 (Rat, male and female): > 30 mg/m³
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information given is based on data obtained from similar substances.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Acute oral toxicity : LD50 (Rat, male and female): 1,037 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Phenol, polymer with formaldehyde, glycidyl ether:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Glass, oxide, chemicals:

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

titanium dioxide:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): 3.43 - 5.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : slight irritation

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species : Rabbit

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Exposure time : 4 h
Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

Phenol, polymer with formaldehyde, glycidyl ether:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.

Glass, oxide, chemicals:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : Normally reversible injuries

titanium dioxide:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : Normally reversible injuries

Serious eye damage/eye irritation**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species : Rabbit
Result : Irritating to eyes.
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Species : Rabbit
Result : slight irritation
Assessment : No eye irritation
Method : Other guidelines

Phenol, polymer with formaldehyde, glycidyl ether:

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Species : Rabbit
 Result : Irritating to eyes.
 Method : OECD Test Guideline 405

titanium dioxide:

Species : Rabbit
 Result : Normally reversible injuries
 Assessment : No eye irritation
 Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin
 Species : Mouse
 Assessment : May cause sensitisation by skin contact.
 Method : OECD Test Guideline 429
 Result : May cause sensitisation by skin contact.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin
 Species : Mouse
 Method : OECD Test Guideline 429
 Result : The product is a skin sensitiser, sub-category 1B.

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Test Type : Local lymph node assay (LLNA)
 Species : Mouse
 Assessment : Probability or evidence of high skin sensitisation rate in humans
 Method : OECD Test Guideline 429
 Result : Probability or evidence of high skin sensitisation rate in humans
 Remarks : Information given is based on data obtained from similar substances.

Phenol, polymer with formaldehyde, glycidyl ether:

Exposure routes : Skin
 Species : Mouse
 Method : OECD Test Guideline 429
 Result : May cause sensitisation by skin contact.

Glass, oxide, chemicals:

Exposure routes : Skin
 Species : Other
 Result : Does not cause skin sensitisation.

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

titanium dioxide:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin
 Species : Mouse
 Assessment : Does not cause skin sensitisation.
 Method : OECD Test Guideline 429
 Result : Does not cause skin sensitisation.

Exposure routes : Skin
 Species : Guinea pig
 Assessment : Does not cause skin sensitisation.
 Method : OECD Test Guideline 406
 Result : Does not cause skin sensitisation.

Assessment : No skin irritation, No eye irritation
 Does not cause skin sensitisation., Does not cause respiratory sensitisation.

Germ cell mutagenicity**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Test system: mouse lymphoma cells
 Metabolic activation: with and without metabolic activation
 Result: positive
 Remarks: Information given is based on data obtained from similar substances.

Test Type: reverse mutation assay
 Test system: Salmonella tryphimurium and E. coli
 Metabolic activation: with and without metabolic activation
 Result: positive
 Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse (male)
 Cell type: Bone marrow
 Application Route: Oral
 Dose: 0, 50, 1000, 2000 mg/kg
 Method: OECD Test Guideline 474
 Result: negative
 GLP: yes
 Remarks: Information given is based on data obtained from similar substances.

Cell type: Germ
 Application Route: Oral
 Exposure time: 5 d
 Method: OECD Test Guideline 483
 Result: negative
 GLP: yes

Test Type: Transgenic rodent germ cell gene mutation assay

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Species: Rat (male)
 Cell type: Germ
 Application Route: Oral
 Dose: 10/100/300/1000 mg/kg bw/day
 Method: OECD Test Guideline 488
 Result: positive
 GLP: yes

Test Type: In vivo mammalian alkaline comet assay
 Species: Rat (male)
 Cell type: Somatic
 Dose: 500/1000/2000 mg/kg bw /day
 Method: OECD Test Guideline 489
 Result: positive
 GLP: yes
 Remarks: Information given is based on data obtained from similar substances.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Test system: mouse lymphoma cells
 Metabolic activation: without metabolic activation
 Result: positive

Test Type: reverse mutation assay
 Test system: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
 Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
 Species: Mouse (male)
 Cell type: Germ
 Application Route: Oral
 Dose: 3333, 10000 mg/kg
 Result: negative

Test Type: gene mutation test
 Species: Rat (male)
 Cell type: Somatic
 Application Route: Oral
 Dose: 50,250,500,1000 mg/kg bw/day
 Method: OECD Test Guideline 488
 Result: negative

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Test system: Human lymphocytes
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 473
 Result: positive

Test Type: reverse mutation assay
 Test system: Salmonella typhimurium

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male)
Application Route: Oral
Dose: 438, 875, 1750mg/kg bw
Method: OECD Test Guideline 474
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity - Assessment : In vitro tests showed mutagenic effects

Phenol, polymer with formaldehyde, glycidyl ether:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Result: positive

Concentration: 0 - 5000 ug/plate
Metabolic activation: with and without metabolic activation
Result: positive

Genotoxicity in vivo : Cell type: Germ
Application Route: Oral
Result: negative

Cell type: Somatic
Application Route: Oral
Dose: 0 - 5000 mg/kg
Result: negative

titanium dioxide:

Genotoxicity in vitro : Test Type: Ames test
Concentration: 100 - 200 ug/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Concentration: 31 - 500 µg/L
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Concentration: 125 - 2500 µg/L
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse (males)
 Application Route: Inhalation
 Exposure time: 5 consecutive days
 Dose: 0.8, 7.2, and 28.5 mg/m³
 Method: OECD Test Guideline 474
 Result: negative

Test Type: Micronucleus test
 Species: Rat (male and female)
 Application Route: Oral
 Exposure time: once
 Dose: 500, 1000, and 2000 mg/kg bw
 Method: OECD Test Guideline 474
 Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species : Rat, male
 Application Route : Oral
 Exposure time : 24 month(s)
 Dose : 0, 2, 15, or 100 mg/kg bw/day
 Frequency of Treatment : 7 days/week
 NOAEL : 15 mg/kg bw/day
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Species : Mouse, male
 Application Route : Dermal
 Exposure time : 24 month(s)
 Dose : 0, 0.1, 10, 100 mg/kg bw/day
 Frequency of Treatment : 3 days/week
 NOEL : 0.1 mg/kg body weight
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Species : Rat, female
 Application Route : Dermal
 Exposure time : 24 month(s)
 Dose : 0.1, 100, 1000 mg/kg bw/day
 Frequency of Treatment : 5 days/week
 NOEL : 100 mg/kg body weight
 Method : OECD Test Guideline 453
 Result : negative

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

Species : Rat, female
 Application Route : Oral
 Exposure time : 24 month(s)
 Dose : 0, 2, 15, or 100 mg/kg bw/day
 Frequency of Treatment : 7 days/week
 NOAEL : 100 mg/kg bw/day
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Species : Rat, females
 Application Route : Oral
 Exposure time : 24 month(s)
 Dose : 0, 2, 15, or 100 mg/kg bw/day
 Frequency of Treatment : 7 days/week
 NOEL : 2 mg/kg bw/day
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Phenol, polymer with formaldehyde, glycidyl ether:

Species : Rat, male and female
 Application Route : Oral
 Exposure time : 24 month(s)
 Dose : 15 mg/kg
 Frequency of Treatment : 7 daily
 Method : OECD Test Guideline 453
 Result : negative

Species : Mouse, male
 Application Route : Dermal
 Exposure time : 24 month(s)
 Dose : .1 mg/kg
 Frequency of Treatment : 3 daily
 Method : OECD Test Guideline 453
 Result : negative

Species : Rat, female
 Application Route : Dermal
 Exposure time : 24 month(s)
 Dose : 1 mg/kg
 Frequency of Treatment : 5 daily
 Method : OECD Test Guideline 453
 Result : negative

titanium dioxide:

Species : Rat, male and female
 Application Route : Oral
 Exposure time : 103 weeks
 Dose : 0, 25000, 50000 ppm
 Frequency of Treatment : 7 days/week
 NOAEL : > 50.000 ppm
 Method : No information available.
 Remarks : Titanium Dioxide: based on the results of chronic inhalation studies (with positive results only in a single species - rat),

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

IARC has concluded that: "There is inadequate evidence in humans for the carcinogenicity of titanium dioxide. " but that : "There is sufficient evidence in experimental animals for carcinogenicity of titanium dioxide". IARC's overall evaluation was that "titanium dioxide is possibly carcinogenic to humans (Group 2B)."

Huntsman has examined all of the available animal carcinogenicity and mechanistic data together with workplace epidemiology data for titanium dioxide and concludes that the weight of scientific evidence indicates that there is no causative link between titanium dioxide exposure and cancer risk in humans and that workplace exposures in compliance with applicable exposure standards will not result in lung cancer or chronic respiratory diseases in humans.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

IARC	Group 2A: Probably carcinogenic to humans Glass, oxide, chemicals (glass)	65997-17-3
	Group 2B: Possibly carcinogenic to humans Glass, oxide, chemicals (special-purpose fibres)	65997-17-3
	Group 2B: Possibly carcinogenic to humans titanium dioxide	13463-67-7

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 30, 90 and 270 mg/kg/day
Duration of Single Treatment: 15 d
General Toxicity Maternal: NOAEL: 90 mg/kg body weight
Developmental Toxicity: NOAEL: 90 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects
GLP: yes

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Dose: 0, 50, 180, 540 or 750 milligram per kilogram
 Duration of Single Treatment: 238 d
 Frequency of Treatment: 1 daily
 General Toxicity - Parent: NOEL: 540 mg/kg body weight
 General Toxicity F1: NOEL: 750 mg/kg body weight
 Symptoms: No adverse effects
 Method: OECD Test Guideline 416
 Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development

: Species: Rabbit, female
 Application Route: Dermal
 Dose: 0, 30, 100 or 300 milligram per kilogram
 Duration of Single Treatment: 28 d
 Frequency of Treatment: 1 daily
 General Toxicity Maternal: NOAEL: 30 mg/kg body weight
 Developmental Toxicity: NOAEL: 300 mg/kg body weight
 Method: Other guidelines
 Result: No teratogenic effects

Test Type: Pre-natal
 Species: Rabbit, female
 Application Route: Oral
 Dose: 0, 20, 60 or 180 milligram per kilogram
 Duration of Single Treatment: 13 d
 Frequency of Treatment: 1 daily
 General Toxicity Maternal: NOAEL: 60 mg/kg body weight
 Developmental Toxicity: NOAEL: 180 mg/kg body weight
 Method: OECD Test Guideline 414
 Result: No teratogenic effects

Test Type: Pre-natal
 Species: Rat, female
 Application Route: Oral
 Dose: 0, 60, 180 and 540 milligram per kilogram
 Duration of Single Treatment: 10 d
 Frequency of Treatment: 1 daily
 General Toxicity Maternal: NOAEL: 180 mg/kg body weight
 Developmental Toxicity: NOAEL: > 540 mg/kg body weight
 Method: OECD Test Guideline 414
 Result: No teratogenic effects

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Effects on fertility

: Test Type: Two-generation study
 Species: Rat, male and female
 Application Route: Oral
 Dose: 5/15/25 mg/kg bw/d
 General Toxicity - Parent: NOAEL: 25 mg/kg body weight
 General Toxicity F1: NOAEL: 25 mg/kg body weight
 Method: OECD Test Guideline 416

Effects on foetal development

: Test Type: Pre-natal
 Species: Rat, female
 Application Route: Oral
 Dose: 0/5/15/40 mg/kg bw/d
 Duration of Single Treatment: 15 d

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Frequency of Treatment: 7 days/week
General Toxicity Maternal: NOEL: 15 mg/kg body weight
Developmental Toxicity: NOEL: 15 mg/kg body weight
Method: OECD Test Guideline 414

Phenol, polymer with formaldehyde, glycidyl ether:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Species: Rabbit, female
Application Route: Dermal
General Toxicity Maternal: NOAEL: 30 mg/kg body weight
Result: No teratogenic effects

Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 60 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 180 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

titanium dioxide:

Effects on foetal development : Species: Rat, male and female
Application Route: Oral
Dose: 100, 300, and 1000 mg/kg bw/
Duration of Single Treatment: 20 d
Frequency of Treatment: 7 days/week
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
Result: No adverse effects

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

No data available

STOT - repeated exposure**Components:****p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:**

Exposure routes : Ingestion
Target Organs : Gastrointestinal tract, female reproductive organs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Repeated dose toxicity**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Species : Rat, male and female
NOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Number of exposures : 7 d
Dose : 10, 50 and 200 mg/kg/day
Method : OECD Test Guideline 408
GLP : yes

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species : Rat, male and female
NOAEL : 50 mg/kg
Application Route : oral (gavage)
Exposure time : 14 Weeks
Number of exposures : 7 d
Dose : 0, 50, 250, 1000 mg/kg/day
Method : OECD Test Guideline 408

Species : Rat, male and female
NOAEL : >= 10 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks
Number of exposures : 5 d
Dose : 0, 10, 100, 1000 mg/kg/day
Method : OECD Test Guideline 411

Species : Mouse, male
NOAEL : 100 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks
Number of exposures : 3 d
Dose : 0, 1, 10, 100 mg/kg/day
Method : OECD Test Guideline 411

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Species : Rat, male and female
NOAEL : 15 mg/kg bw/d
Application Route : Oral
Exposure time : 90 d
Number of exposures : one daily
Dose : 1.5, 5 or 15 mg/kg bw/day
Method : OECD Test Guideline 408
GLP : yes

Species : Rat, male and female
NOAEL : 50 mg/kg bw/day
Application Route : Oral
Exposure time : 28 d
Number of exposures : Once daily

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

Dose : 0, 50, 150, 450 mg/kg bw/day
 Target Organs : Gastrointestinal tract, female reproductive organs, Stomach
 Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
 Remarks : Information given is based on data obtained from similar substances.

Phenol, polymer with formaldehyde, glycidyl ether:

Species : Rat, male and female
 NOAEL : 50 mg/kg
 Application Route : Ingestion
 Exposure time : 14 Weeks
 Number of exposures : 7 d
 Method : Subchronic toxicity

Species : Rat, male and female
 NOEL : 10 mg/kg
 Application Route : Skin contact
 Exposure time : 13 Weeks
 Number of exposures : 5 d
 Method : Subchronic toxicity

Species : Mouse, male
 NOAEL : 100 mg/kg
 Application Route : Skin contact
 Exposure time : 13 Weeks
 Number of exposures : 3 d
 Method : Subchronic toxicity

Glass, oxide, chemicals:

Species : Rat, male
 LOEC : 2.4 mg/m³
 Test atmosphere : dust/mist
 Exposure time : 2,160 h
 Number of exposures : 6 h
 Method : Directive 67/548/EEC, Annex, B.29

titanium dioxide:

Species : Rat, male and female
 NOEC : 3500 mg/m³
 Application Route : Ingestion
 Test atmosphere : dust/mist
 Exposure time : 2 yr
 Number of exposures : 5 d
 Method : Chronic toxicity

Species : Rat, male and female
 NOEC : 10 - 50 mg/m³
 Application Route : Inhalation
 Exposure time : 2 yr
 Number of exposures : 6 hours/day, 5 days/week
 Method : Chronic toxicity

Repeated dose toxicity - : No skin irritation, No eye irritation

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Assessment No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 7 mg/l
 Exposure time: 96 h
 Test Type: static test
 Test substance: Fresh water
 Method: OECD Test Guideline 203
 GLP: no
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): ca. 6.7 mg/l
 Exposure time: 48 h
 Test Type: semi-static test
 Analytical monitoring: yes
 Test substance: Fresh water
 Method: OECD Test Guideline 202
 GLP: yes

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.19 mg/l
 Exposure time: 72 h
 Test Type: static test
 Analytical monitoring: yes
 Test substance: Fresh water
 Method: OECD Test Guideline 201
 GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)): ca. 4.8 mg/l
 Exposure time: 72 h
 Test Type: static test
 Analytical monitoring: yes
 Test substance: Fresh water
 Method: OECD Test Guideline 201

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

GLP: yes

Toxicity to microorganisms : IC50 (*Pseudomonas putida*): > 10,000 mg/l
 Exposure time: 24 h
 Test Type: static test
 Analytical monitoring: no
 Test substance: Fresh water
 Method: DIN 38 412 Part 8
 GLP: no
 Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.8 mg/l
 Exposure time: 48 h
 Test Type: static test
 Test substance: Fresh water
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50: 11 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water
 Method: EPA-660/3-75-009

NOEC: 4.2 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water
 Method: EPA-660/3-75-009

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.3 mg/l
 Exposure time: 21 d
 Test Type: semi-static test
 Test substance: Fresh water
 Method: OECD Test Guideline 211

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
 Exposure time: 3 h
 Test Type: static test
 Test substance: Fresh water

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 4.2 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): 13 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.42 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.42 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 mg/l
mg
Exposure time: 16 h
Test Type: static test
Test substance: Fresh water
Method: DIN 38 412 Part 8

Ecotoxicology Assessment

- Acute aquatic toxicity : This product has no known ecotoxicological effects.
- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Phenol, polymer with formaldehyde, glycidyl ether:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l
Exposure time: 48 h
Test Type: static test

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022

Print Date 09/13/2023

Test substance: Fresh water
 Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 2.7 mg/l
 Exposure time: 48 h
 Test Type: static test
 Test substance: Fresh water

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water

Toxicity to fish (Chronic toxicity) : GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l
 Exposure time: 21 d
 Test Type: semi-static test
 Test substance: Fresh water
 Method: OECD Test Guideline 211

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
 Exposure time: 3 h
 Test Type: static test
 Test substance: Fresh water

Glass, oxide, chemicals:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l
 Exposure time: 96 h
 Test Type: Other guidelines
 Test substance: Fresh water
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
 Exposure time: 72 h
 Test Type: semi-static test
 Test substance: Fresh water
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EgC50 (Selenastrum capricornutum (green algae)): > 1,000 mg/l
 Exposure time: 72 h
 Test Type: semi-static test
 Method: OECD Test Guideline 201

titanium dioxide:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Test substance: Marine water
 Method: OECD Test Guideline 203

Plant toxicity : NOEC: 100,000 mg/kg

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Exposure time: 480 h

Sediment toxicity : (Gammarus pulex (Amphipod)): > 100000 mg/kg sediment dw
Study: Acute
Test Type: semi-static test
Water: Fresh water
Exposure duration: 28 d
Method: ASTM Method, other

(Gammarus pulex (Amphipod)): 100000 mg/kg sediment dw
Study: Chronic
Test Type: semi-static test
Water: Fresh water
Exposure duration: 28 d
Method: ASTM Method, other

(Gammarus pulex (Amphipod)): 14989 mg/kg sediment dw
Study: Acute
Test Type: semi-static test
Water: Marine water
Exposure duration: 10 d

Toxicity to terrestrial organisms : NOEC: 10,000 mg/kg
Exposure time: 672 h

Persistence and degradability**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Biodegradability : aerobic
Inoculum: activated sludge, non-adapted
Concentration: 20 mg/l
Result: Biodegradable, but failing 10-d window
Biodegradation: ca. 48 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Biodegradability : aerobic
Inoculum: activated sludge, non-adapted
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4.83 d (25 °C) pH: 4
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 7.1 d (25 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

Degradation half life (DT50): 3.58 d (25 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Biodegradability : Inoculum: activated sludge
Concentration: 3.2 mg/l
Result: Not readily biodegradable.
Biodegradation: 3.4 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

Stability in water : Degradation half life (DT50): 4.3 hrs (50 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 4.1 d (20 °C) pH: 7
Method: OECD Test Guideline 111

Degradation half life (DT50): 3.9 hrs (50 °C) pH: 4
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 10 h (40 °C) pH: 7
Method: OECD Test Guideline 111

Degradation half life (DT50): 2.2 d (25 °C) pH: 4
Method: OECD Test Guideline 111
GLP: No information available.
Remarks: Fresh water

Degradation half life (DT50): 4.3 h (50 °C) pH: 7
Method: OECD Test Guideline 111

Degradation half life (DT50): 2.3 d (25 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 2.6 d (25 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 5.7 hrs (50 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 10.8 d (12 °C)
GLP: yes

Phenol, polymer with formaldehyde, glycidyl ether:

Biodegradability : Inoculum: Sewage (STP effluent)
Concentration: 20 mg/l
Result: Not readily biodegradable.

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Biodegradation: 5 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4.83 d (25 °C) pH: 4
 Method: OECD Test Guideline 111
 Remarks: Fresh water

Degradation half life (DT50): 7.1 d (25 °C) pH: 9
 Method: OECD Test Guideline 111
 Remarks: Fresh water

Degradation half life (DT50): 3.58 d (25 °C) pH: 7
 Method: OECD Test Guideline 111
 Remarks: Fresh water

Bioaccumulative potential**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Partition coefficient: n- : log Pow: ca. 2.12 (72 °F / 22 °C)
 octanol/water pH: 6.7
 Method: OECD Test Guideline 107
 GLP: yes

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31
 Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3.242 (77 °F / 25 °C)
 octanol/water pH: 7.1
 Method: OECD Test Guideline 117

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Partition coefficient: n- : log Pow: 0.871 (77 °F / 25 °C)
 octanol/water pH: 7

Phenol, polymer with formaldehyde, glycidyl ether:

Bioaccumulation : Bioconcentration factor (BCF): 31
 Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3.242 (77 °F / 25 °C)
 octanol/water pH: 7.1
 Method: OECD Test Guideline 117

titanium dioxide:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
 Bioconcentration factor (BCF): 19 - 352
 Exposure time: 14 d
 Test substance: Fresh water
 Method: semi-static test
 Remarks: Does not bioaccumulate.

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Mobility in soil**Components:****4,4'-methylenebis[N,N-bis(2,3-epoxypropyl)aniline]:**

Distribution among : Koc: < 18
environmental compartments Method: OECD Test Guideline 121

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among : Koc: 445
environmental compartments

p-(2,3-epoxypropoxy)-N,N-bis(2,3-epoxypropyl)aniline:

Distribution among : Koc: 84
environmental compartments Method: OECD Test Guideline 121

Phenol, polymer with formaldehyde, glycidyl ether:

Distribution among : Koc: 445
environmental compartments

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Additional ecological : An environmental hazard cannot be excluded in the event of
information unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of contents and container in accordance with all local,
regional, national and international regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with
chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
Date of first issue: 07/27/2022

Print Date 09/13/2023

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(TETRAGLYCIDYL METHYLENEDIANILINE, BISPHENOL A EPOXY RESIN)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(TETRAGLYCIDYL METHYLENEDIANILINE, BISPHENOL A EPOXY RESIN)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(TETRAGLYCIDYL METHYLENEDIANILINE, BISPHENOL A EPOXY RESIN)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.
49CFR: no dangerous good in non-bulk packaging

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 311/312 Hazards : Respiratory or skin sensitisation
Germ cell mutagenicity
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP) $\geq 0.1\%$, as defined by the U.S. Clean Air Act Section 112 (40 CFR 61

California Prop. 65

WARNING: This product can expose you to chemicals including buta-1,3-diene, 2,3-Epoxypropyl phenyl ether, styrene, acrylonitrile, which is/are known to the State of California to cause cancer, and

buta-1,3-diene, methanol, 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Notified. Allowed to be imported / manufactured only by the notifiers. Please contact your Huntsman sales representative for more information.
TCSI	: Not in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

ARALDITE® 2035 A US

Version 1.2 Revision Date: 06/23/2023 SDS Number: 400000013117 Date of last issue: 09/22/2022
 Date of first issue: 07/27/2022


Print Date 09/13/2023

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 06/23/2023

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

ARALDITE® 2035 A US

Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2022
1.2	06/23/2023	400000013117	Date of first issue: 07/27/2022

Print Date 09/13/2023

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.



chemical-concepts.com

800.220.1966

410 Pike Road • Huntingdon Valley, PA 19006