Tensorgrip

SAFETY DATA SHEET Tensorgrip P309 Non-Flam Pressure-Sensitive Adhesive Canister

1. Identification			
Product identifier			
Product name	Tensorgrip P309 Non-Flam Pressure-Sensitive Adhesive Canister		
Product number	USA		
Recommended use of the ch	nemical and restrictions on use		
Application			
Details of the supplier of the seferty data sheet			
Supplier	Salety data silectQuin Global US, Inc.5510 F StOmaha NE 68117(402) 731 3636(402) 731 1473marketing.us@quin-global.comConceptsOur expertise is your solution.Chemical-concepts.com800.220.1966410 Pike Road • Huntingdon Valley, PA 19006		
Emergency telephone number	er		
Emergency telephone	Chemtrec: 1 800 424 9300		
2. Hazard(s) identification			
Classification of the substance or mixture			
Physical hazards	Aerosol 3 Press. Gas, Compressed - H280		
Health hazards	Acute Tox. 3 - H301 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Carc. 2 - H351 STOT SE 3 - H335, H336 STOT RE 2 - H373		
Human health	The liquid may be irritating to eyes, respiratory system and skin. Symptoms following overexposure may include the following: Headache. Dizziness. Nausea, vomiting.		
Label elements			
Hazard symbols			
Signal word	Danger		
Hazard statements	 H280 Contains gas under pressure; may explode if heated. H301 Toxic if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. 		

Precautionary statements	 P261 Avoid breathing vapor/ spray. P301+P310 If swallowed: Immediately call a poison center/ doctor. P302+P352 If on skin: Wash with plenty of water. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/ doctor if you feel unwell.
Contains	Methylene Chloride

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures	
Methylene Chloride	60-100%
CAS number: 75-09-2	
Classification	
Acute Tox. 3 - H301	
Acute Tox. 4 - H312	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Carc. 2 - H351	
STOT SE 3 - H335, H336	
STOT RE 2 - H373	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Beechpiter et met ala meaea	
General information	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention.
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Only remove contact lenses if the person is conscious, coherent and they can remove them themselves If adhesive bonding occurs, do not force eyelids apart. Continue to rinse for at least 15 minutes. If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Most important symptoms an	d effects, both acute and delayed
General information	High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea. The severity of the symptoms described will vary dependent on the

concentration and the length of exposure.

Inhalation	Prolonged or repeated exposure may cause the following adverse effects: Irritation of nose, throat and airway. Coughing. Headache.
Ingestion	Prolonged or repeated exposure may cause the following adverse effects: Gastrointestinal symptoms, including upset stomach. Nausea, vomiting. Diarrhea.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision.
5. Fire-fighting measures	
Special hazards arising from the	he substance or mixture
Specific hazards	Pressurized container: Must not be exposed to temperatures above 50°C/120°F Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Aldehydes. Hydrocarbons Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride (HCI).
Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
6. Accidental release measure	is
Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	For personal protection, see Section 8.
Environmental precautions	
Environmental precautions	Avoid discharge into drains. Contain spillage with sand, earth or other suitable non- combustible material.
Methods and material for cont	ainment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Provide adequate ventilation. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level. Container must be kept tightly closed when not in use.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Keep away from heat, sparks and open flame. Keep container tightly closed. Keep only in the original container. Pressurized container: Must not be exposed to temperatures above 50°C/120°F
8. Exposure controls/Persona	I protection
Control norses stars	

- Control parameters
- Occupational exposure limits

Methylene Chloride

Long-term exposure limit (8-hour TWA): ACGIH 50 ppm

A3

Short-term exposure limit (15-minute): OSHA 125 ppm

Long-term exposure limit (8-hour TWA): OSHA 25 ppm

ACGIH = American Conference of Governmental Industrial Hygienists. A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans. OSHA = Occupational Safety and Health Administration.

Exposure controls

Protective equipment



Appropriate engineering controls	This product must not be handled in a confined space without adequate ventilation. Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear chemical splash goggles.
Hand protection	Use protective gloves.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.
Hygiene measures	DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If exposure levels are likely to be exceeded, use a full face mask fitted with an organic AXP3 filter for short term low level exposures. For long term or high level exposures, compressed airline breathing apparatus should be used.

9. Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Aerosol.	
Color	Clear. Blue.	
Odor	Organic solvents.	
Relative density	1.18	
Solubility(ies)	Negligibly soluble in water	
Volatile organic compound	This product contains a maximum VOC content of 0 g/l.	
10. Stability and reactivity		
Stability	Stable at normal ambient temperatures and when used as recommended.	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Oxidizing agents. Reducing agents.	
Hazardous decomposition products	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). Hydrocarbons. Hydrogen chloride (HCI). Aldehydes.	

11. Toxicological information		
Information on toxi	cological effects	
Acute toxicity - ora	l	
ATE oral (mg/kg)	159.87	
Acute toxicity - der		
ATE dermal (mg/kg	g) 1,758.59	
Acute toxicity - inh		
ATE inhalation (va		
Toxicological infor	mation on ingredients.	
		Methylene Chloride
Acute	e toxicity - oral	
Acute mg/kg	e toxicity oral (LD₅₀ g)	2,000.0
Spec	ies	Rat
ATE	oral (mg/kg)	100.0
Acute	e toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)		2,000.0
Spec	ies	Rat
ATE	dermal (mg/kg)	1,100.0
Acute	toxicity - inhalation	
Acute toxicity inhalation (LC∞ vapours mg/l)		52.0
Spec	ies	Rat
ATE i mg/l)	inhalation (vapours	11.0
Carci	nogenicity	
Carci	nogenicity	Cancinogenicity - rat - inhalation Limited evidence of carcinogenicity in animal studies
-	et organ for nogenicity	Tumerigenic: Carcinogenic by RTECS criteria. Endochrine: Tumors
IARC	carcinogenicity	IARC Group 2B Possibly carcinogenic to humans.
NTP	carcinogenicity	Reasonably anticipated to be a human carcinogen.
Spec	ific target organ toxicit	y - single exposure
STO	Γ - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness
Spec	ific target organ toxicit	y - repeated exposure
STOT	F - repeated exposure	Inhalation - May cause damage to organs through prolonged or repeated exposure -Central nervous system Oral - May cause damage to organs through prolonged or repeated exposure -Liver, blood.

General information RTECS: PA8050000		
12. Ecological information		
13. Disposal considerations		
Waste treatment methods		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
14. Transport information		
Air transport notes	1. <75kg, 2. <150kg	
UN Number		
UN No. (TDG)	3500	
UN No. (ICAO)	3500	
UN No. (DOT)	3500	
UN proper shipping name		
Proper shipping name (TDG)	Chemical Under Pressure, N.O.S. (Air, Compressed)	
Proper shipping name (IMDG)	Chemical Under Pressure, N.O.S. (Air, Compressed)	
Proper shipping name (ICAO)	Chemical Under Pressure, N.O.S. (Air, Compressed)	
Proper shipping name (DOT)	Chemical Under Pressure, N.O.S. (Air, Compressed)	
Transport hazard class(es)		
TDG class	2	
TDG label(s)	2.2	
Transport labels		
Packing group		
Packing group (International)	Not applicable.	
15. Regulatory information		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).	
Guidance	CHIP for everyone HSG228. Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations. Approved Classification and Labelling Guide (Sixth edition) L131.	
US Federal Regulations		

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) Present.

Methylene Chloride Final CERCLA RQ: 1000(454) pounds (Kilograms)

SARA 313 Emission Reporting

Present.

Methylene Chloride 0.1 %

SARA (311/312) Hazard Categories

Present.

Methylene Chloride Acute Health hazard Chronic Health hazard

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins Present.

Methylene Chloride

Carcinogen.

Massachusetts "Right To Know" List

Methylene Chloride All the ingredients are listed or exempt.

New Jersey "Right To Know" List

Methylene Chloride All the ingredients are listed or exempt.

Pennsylvania "Right To Know" List

Methylene Chloride All the ingredients are listed or exempt.

Inventories

US - TSCA Present.

Methylene Chloride

16. Other information

Revision date	6/9/2020
Revision	7
Supersedes date	5/29/2020
SDS No.	21433

Hazard statements in full	 H280 Contains gas under pressure; may explode if heated. H301 Toxic if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H373 May cause damage to organs (Oral (Category 2), Inhalation (Category 2), Blood, Central nervous system, Liver) through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure.
ACA HMIS Health rating.	Moderate hazard. (2)
ACA HMIS Flammability rating.	Will not burn. (0)
ACA HMIS Physical hazard rating.	Normally stable. (0)
ACA HMIS Personal protection rating.	В
DIRECTIONS FOR USE	
PRODUCT LOGO	

